VOLUME 87 • AUTHOR INDEX

Abdel-Fattah A, Galley HF and **Webster NR** Biochemical predictors of outcome from intensive care: *abstract* **666P**

Absalom A *see* Amutike D **175P**

Absalom AR, Martinelli G and **Scott NB** Spinal cord injury caused by direct damage by local anaesthetic infiltration needle **512**

Absalom AR, Sutcliffe N and **Kenny GNC** Effects of the auditory stimuli of an auditory evoked potential system on levels of consciousness, and on the bispectral index **778**

Adams WH *see* Rahman MQ **198**

Agarwal B *see* Parker JL **176P**

Aglio LS *see* Gugino LD **421**

Agnew NM, Tan CNH, Scawn NDA, Pennefather SH, Russell GN and **Chester M** Suprascapular nerve block for ipsilateral shoulder pain after thoracotomy with epidural analgesia: double-blind comparison of 0.5% bupivacaine and saline: *abstract* **169P**

Ahlén K *see* McNamee DA **743**

Ahrens J *see* Cobas Meyer M **173P**

Albrecht DM *see* Müller M **784**

Alexander J Pain Imaging: *book review* **325**

Allaouchiche B, Duflo F, Debon R, Tournadre J-P and **Chassard D** Influence of sepsis on minimum alveolar concentration of desflurane in a porcine model **280**

Allen SJ *see* Gormley SMC **669P**

Allman KG, McFadyen JG, Armstrong J, Sturrock GD and **Wilson IH** Comparison of articaine and bupivacaine/lidocaine for single medial canthus peribulbar anaesthesia 584

Allsop P *see* Tivey M **336P**; Coates S **369P**; Stenhouse CW **370P**

AL-Samsam RH and **Cullen P** Excessive noise pollution in the Paediatric Intensive Care Unit: *abstract* **331P**

Alston RP *see* Millar SM **229**

Alwitry A, Thind G and **Rubin A** Sub-Tenon's anaesthesia—the local anaesthetic technique of choice for eye surgery?: *correspondence* **520**

Amutike D, Lal A, Absalom A and **Kenny GNC** Accuracy of the Paedfusor—a new propofol target-controlled infusion system for children: *abstract* **175P**

Anand KJS *see* Bouwmeester NJ **390**

Anderson A *see* De Silva RJ **356P**

Anderson L *see* McKinlay K **358P**

Anderson M *see* McD Neal S **658P**

Andrade J *see* Hanna C **654P**

Andreasson B *see* Jørgensen H **577**; Jørgensen H **727**

Andrews PJD *see* Millar SM **229**

Annechino F *see* Sonzogni V **429**

Aouifi A *see* Blanc P **848**

Appiah R *see* Cobas Meyer M **173P**

Arai T *see* Takasaki Y **510**

Armory PE *see* Wild MR **668P**

Armstrong J *see* Allman KG **584**

Armstrong MA *see* Baker RC **661P**; Gormley SMC **669P**

Arndt JO *see* Picker O **748**

Arthan E *see* Mostafa SM **343P**

Asai T and **Shingu K** Use of the laryngeal tube for nasotracheal intubation: *corespondence* **157**

Ashury AJ *see* Maruff P **518**

Asztalos T *see* Habre W **602**

Athanassiou L *see* Mahajan RP **174P**; Hancock SM **175P**

Atkins ML, Gorton HJ, Berridge JC and **Cross MH** When is it safe to site an epidural in patients on high dose enoxaparin?: *abstract* **663P**

Awad I *see* Iohom G **855**

Ayorinde B *see* Ng A **169P**

Ayorinde BT *see* Heidemann BH **320**

Baigel G and **Low J** Clinical experience with the use of sub-anaesthetic doses of halothane in spontaneously ventilating patients with acute severe asthma to avoid ventilation: *abstract* **345P**

Baines PB, Taylor N, Sarginson RE, Selby A and **van Saene HKF** Emergence of antimicrobial resistance in a paediatric intensive care unit: *abstract* **373P**

Baker RC, Armstrong MA, D'Sa Barros AAB, Campbell FC, McClean E and **McBride WT** The effect of methylprednisolone on urinary *N*-acetyl-β-D-glucosaminidase/creatinine ratios in porcine vascular surgery: *abstract* **661P**

Ball JAS, Rhodes A and **Grounds RM** Comparison of two methods of measuring tidal volumes in patients mechanically ventilated with helium–oxygen mixtures: *abstract* **359P**

Banerjee A *see* Ng A **169P**

Bangham AD and **Dorrington KL** Geodesic planes to facilitate the extension of alveolar liquid/air interfaces: *correspondence* **519**

Barker JM An audit of the use of intracranial pressure (ICP) monitoring in a district general hospital ICU: *abstract* **357P**

Barkshire K *see* Rutter S **657P**

Barrett P *see* Kalogrianitis S **770**

Batchelor A *see* Lu X **333P**

Baudouin SV *see* Lu X **333P**; Chishti A **334P**; Robson V **352P**; Visser L **799**; Pennefather SH **800**

Baujard C *see* Labat F **935**

Baumbach A *see* Howell SJ **661P**

Beale R *see* Creed GM **371P**

Beavis SE *see* Spittle CSN **344P**

Bedforth NM, Girling KJ, Skinner HJ and **Mahajan RP** Effects of desflurane on cerebral autoregulation **193**

Bellamy M *see* Dresner M **659P**

Bellamy MC *see* Collighan N **170P**; Collighan N **666P**

Bellamy MC, Southern P, Duncan B, Snook NJ and **Young Y** Evaluation of early extubation after liver transplantation: *abstract* **665P**

Bellavita P *see* Sonzogni V **429**

Bellingan G *see* Xu P **334P**

Bellis C *see* Sodhi V **672P**

Ben Säid S *see* Decailliot F **493**

Benhamou D *see* Labat F **935**

Benzer A *see* Lorenz IH **691**

Berchthold G *see* Boldt J **435**

Berridge JC *see* Atkins ML **663P**

Bewlay MA *see* Vashisht R **167P**

Bhandari S *see* Mostafa SM **343P**

Bhuptani S *see* Robinson PN **673P**

Bilolikar AH and **Timberlake CM** Written consent for anaesthesia: anaesthetists' and patients' views: *abstract* **176P**

Bink A *see* Markstaller K **459**

Binning AR *see* McKinlay K **358P**

Birnbach DJ, Browne IM, Kim A, Stein DJ and **Thys DM** Identification of polysubstance abuse in the parturient **488**

Bishop H *see* Crerar-Gilbert A **660P**

Bizouarn P *see* Blanloeil Y **635**

Black C *see* Harry R **338P**

Blair JM, Hill DA and **Fee JPH** Patient-controlled analgesia for labour using remifentanil: a feasibility study **415**

Blake D *see* Möllhoff T **718**

Blanc P, Aouifi A, Bouvier H, Joseph P, Chiari P, Ovize M, Girard C, Jegaden O, Khder Y and **Lehot JJ** Safety of oral nicorandil before coronary artery bypass graft surgery **848**

Blanloeil Y, Bizouarn P, Le Teurnier Y, Le Roux C, Rigal JC, Sellier E and **Nougarède B** Postoperative analgesia by epidural methylprednisolone after posterolateral thoracotomy **635**

Blokland A, Honig W and **Jolles J** Long-term consequences of repeated pentobarbital anaesthesia on choice reaction time performance in ageing rats **781**

Blunt M *see* Garfield M **350P**

Blunt MC *see* Prickett J **339P**

Boisseau N, Rabary O, Padovani B, Staccini P, Mouroux J, Grimaud D and **Raucoules-Aimé M** Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**

© The Board of Management and Trustees of the British Journal of Anaesthesia

VOLUME 87 • AUTHOR INDEX

Abdel-Fattah A, Galley HF and **Webster NR** Biochemical predictors of outcome from intensive care: *abstract* **666P**

Absalom A *see* Amutike D **175P**

Absalom AR, Martinelli G and **Scott NB** Spinal cord injury caused by direct damage by local anaesthetic infiltration needle **512**

Absalom AR, Sutcliffe N and **Kenny GNC** Effects of the auditory stimuli of an auditory evoked potential system on levels of consciousness, and on the bispectral index **778**

Adams WH *see* Rahman MQ **198**

Agarwal B *see* Parker JL **176P**

Aglio LS *see* Gugino LD **421**

Agnew NM, Tan CNH, Scawn NDA, Pennefather SH, Russell GN and **Chester M** Suprascapular nerve block for ipsilateral shoulder pain after thoracotomy with epidural analgesia: double-blind comparison of 0.5% bupivacaine and saline: *abstract* **169P**

Ahlén K *see* McNamee DA **743**

Ahrens J *see* Cobas Meyer M **173P**

Albrecht DM *see* Müller M **784**

Alexander J Pain Imaging: *book review* **325**

Allaouchiche B, Duflo F, Debon R, Tournadre J-P and **Chassard D** Influence of sepsis on minimum alveolar concentration of desflurane in a porcine model **280**

Allen SJ *see* Gormley SMC **669P**

Allman KG, McFadyen JG, Armstrong J, Sturrock GD and **Wilson IH** Comparison of articaine and bupivacaine/lidocaine for single medial canthus peribulbar anaesthesia 584

Allsop P *see* Tivey M **336P**; Coates S **369P**; Stenhouse CW **370P**

AL-Samsam RH and **Cullen P** Excessive noise pollution in the Paediatric Intensive Care Unit: *abstract* **331P**

Alston RP *see* Millar SM **229**

Alwitry A, Thind G and **Rubin A** Sub-Tenon's anaesthesia—the local anaesthetic technique of choice for eye surgery?: *correspondence* **520**

Amutike D, Lal A, Absalom A and **Kenny GNC** Accuracy of the Paedfusor—a new propofol target-controlled infusion system for children: *abstract* **175P**

Anand KJS *see* Bouwmeester NJ **390**

Anderson A *see* De Silva RJ **356P**

Anderson L *see* McKinlay K **358P**

Anderson M *see* McD Neal S **658P**

Andrade J *see* Hanna C **654P**

Andreasson B *see* Jørgensen H **577**; Jørgensen H **727**

Andrews PJD *see* Millar SM **229**

Annechino F *see* Sonzogni V **429**

Aouifi A *see* Blanc P **848**

Appiah R *see* Cobas Meyer M **173P**

Arai T *see* Takasaki Y **510**

Armory PE *see* Wild MR **668P**

Armstrong J *see* Allman KG **584**

Armstrong MA *see* Baker RC **661P**; Gormley SMC **669P**

Arndt JO *see* Picker O **748**

Arthan E *see* Mostafa SM **343P**

Asai T and **Shingu K** Use of the laryngeal tube for nasotracheal intubation: *corespondence* **157**

Ashury AJ *see* Maruff P **518**

Asztalos T *see* Habre W **602**

Athanassiou L *see* Mahajan RP **174P**; Hancock SM **175P**

Atkins ML, Gorton HJ, Berridge JC and **Cross MH** When is it safe to site an epidural in patients on high dose enoxaparin?: *abstract* **663P**

Awad I *see* Iohom G **855**

Ayorinde B *see* Ng A **169P**

Ayorinde BT *see* Heidemann BH **320**

Baigel G and **Low J** Clinical experience with the use of sub-anaesthetic doses of halothane in spontaneously ventilating patients with acute severe asthma to avoid ventilation: *abstract* **345P**

Baines PB, Taylor N, Sarginson RE, Selby A and **van Saene HKF** Emergence of antimicrobial resistance in a paediatric intensive care unit: *abstract* **373P**

Baker RC, Armstrong MA, D'Sa Barros AAB, Campbell FC, McClean E and **McBride WT** The effect of methylprednisolone on urinary *N*-acetyl-β-D-glucosaminidase/creatinine ratios in porcine vascular surgery: *abstract* **661P**

Ball JAS, Rhodes A and **Grounds RM** Comparison of two methods of measuring tidal volumes in patients mechanically ventilated with helium–oxygen mixtures: *abstract* **359P**

Banerjee A *see* Ng A **169P**

Bangham AD and **Dorrington KL** Geodesic planes to facilitate the extension of alveolar liquid/air interfaces: *correspondence* **519**

Barker JM An audit of the use of intracranial pressure (ICP) monitoring in a district general hospital ICU: *abstract* **357P**

Barkshire K *see* Rutter S **657P**

Barrett P *see* Kalogrianitis S **770**

Batchelor A *see* Lu X **333P**

Baudouin SV *see* Lu X **333P**; Chishti A **334P**; Robson V **352P**; Visser L **799**; Pennefather SH **800**

Baujard C *see* Labat F **935**

Baumbach A *see* Howell SJ **661P**

Beale R *see* Creed GM **371P**

Beavis SE *see* Spittle CSN **344P**

Bedforth NM, Girling KJ, Skinner HJ and **Mahajan RP** Effects of desflurane on cerebral autoregulation **193**

Bellamy M *see* Dresner M **659P**

Bellamy MC *see* Collighan N **170P**; Collighan N **666P**

Bellamy MC, Southern P, Duncan B, Snook NJ and **Young Y** Evaluation of early extubation after liver transplantation: *abstract* **665P**

Bellavita P *see* Sonzogni V **429**

Bellingan G *see* Xu P **334P**

Bellis C *see* Sodhi V **672P**

Ben Säid S *see* Decailliot F **493**

Benhamou D *see* Labat F **935**

Benzer A *see* Lorenz IH **691**

Berchthold G *see* Boldt J **435**

Berridge JC *see* Atkins ML **663P**

Bewlay MA *see* Vashisht R **167P**

Bhandari S *see* Mostafa SM **343P**

Bhuptani S *see* Robinson PN **673P**

Bilolikar AH and **Timberlake CM** Written consent for anaesthesia: anaesthetists' and patients' views: *abstract* **176P**

Bink A *see* Markstaller K **459**

Binning AR *see* McKinlay K **358P**

Birnbach DJ, Browne IM, Kim A, Stein DJ and **Thys DM** Identification of polysubstance abuse in the parturient **488**

Bishop H *see* Crerar-Gilbert A **660P**

Bizouarn P *see* Blanloeil Y **635**

Black C *see* Harry R **338P**

Blair JM, Hill DA and **Fee JPH** Patient-controlled analgesia for labour using remifentanil: a feasibility study **415**

Blake D *see* Möllhoff T **718**

Blanc P, Aouifi A, Bouvier H, Joseph P, Chiari P, Ovize M, Girard C, Jegaden O, Khder Y and **Lehot JJ** Safety of oral nicorandil before coronary artery bypass graft surgery **848**

Blanloeil Y, Bizouarn P, Le Teurnier Y, Le Roux C, Rigal JC, Sellier E and **Nougarède B** Postoperative analgesia by epidural methylprednisolone after posterolateral thoracotomy **635**

Blokland A, Honig W and **Jolles J** Long-term consequences of repeated pentobarbital anaesthesia on choice reaction time performance in ageing rats **781**

Blunt M *see* Garfield M **350P**

Blunt MC *see* Prickett J **339P**

Boisseau N, Rabary O, Padovani B, Staccini P, Mouroux J, Grimaud D and **Raucoules-Aimé M** Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**

© The Board of Management and Trustees of the British Journal of Anaesthesia

Bojanic S, Simpson T and **Bolger C** Ocular microtremor (OMT): a tool for measuring depth of anaesthesia?: *abstract* **364P**
Bolad N, Fenton R, Pal SK, Lockwood GG and **White DC** Attempting to estimate the rate of perfusion of the cerebral site of action of sevoflurane: *abstract* **668P**
Boldt J *see* Suttner SW **699**
Boldt J, Hüttner I, Suttner St., Kumle B, Piper SN and **Berchthold G** Changes of haemostasis in patients undergoing major abdominal surgery—is there a difference between elderly and younger patients? **435**
Bolger C *see* Bojanic S **364P**
Bolsin S, Orford N and **Cittanova ML** Renal dysfunction following anaesthesia and surgery: *correspondence* **648**
Bombeli T *see* Iselin BM **246**
Böning O *see* Scholz SE **441**
Bonnet F *see* Kurdi O **943**
Booij LHDJ and **Houweling PJ** Rocuronium: high risk for anaphylaxis?: *correspondence* **805**
Boomsma F *see* Bouwmeester NJ **390**
Booth SA, Norton B and **Mulvey DA** Central venous catheterization and fatal cardiac tamponade **298**
Boralessa H *see* Boralessa H **347P**
Boralessa H, Rao M, Soni N, Goldhill D, Brett S, Morgan C, Boralessa H, Watson D and **Contereras M** Blood and component use in intensive care: *abstract* **347P**
Bouillon TW *see* Bruhn J **505**
Bouleau D *see* Rezaiguia-Delclaux S **204**
Bourgain JL, Desruennes E, Fischler M and **Ravussin P** Transtracheal high frequency jet ventilation for endoscopic airway surgery: a multicentre study **870**
Bouvier H *see* Blanc P **848**
Bouwmeester NJ, Anand KJS, van Dijk M, Hop WCJ, Boomsma F and **Tibboel D** Hormonal and metabolic stress responses after major surgery in children aged 0–3 years: a double-blind, randomized trial comparing the effects of continuous versus intermittent morphine **390**
Bowen D, Nath S, Pratt S, Rosser D, Waring R, Gosling P and **Manji M** Sepsis and multi-organ failure does not affect mitochondrial complex I activity: *abstract* **339P**
Brand MP *see* Brealey DA **340P**
Brandes V *see* Cortínez LI **866**
Brealey D, Brand M, Hargreaves I, Heales S, Land J, Davies N, Cooper C and **Singer M** Mitochondrial inhibition is associated with the severity of human septic shock: *abstract* **340P**
Brealey DA, Brand MP, Hargreaves IP, Heales SJR, Land JM and **Singer M** Septic shock and mitochondrial dysfunction: *abstract* **340P**
Brett S *see* Boralessa H **347P**
Bridges D, Thompson SWN and **Rice ASC** Mechanisms of neuropathic pain **12**
Bridgland IA and **Menon DK** Monitoring medical devices: the need for new evaluation methodology: *editorial II* **678**
Bright D, Newman T, Brudney S, Rosser D, Dyer I and **Sinclair S** Introduction of a critical care outreach team improves ward-based nurses confidence in dealing with specific support therapies: *abstract* **366P**
Bright D, Newman T, Dyer I, Rosser D and **Sinclair S** Pilot study of a nurse led critical care outreach service: *abstract* **366P**
Brinkmann A *see* Calzia E **490**
Britto J *see* Macintosh ID **353P**
Brochu J *see* Trépanier CA **316**
Bromley LM Clinical Notes for the FRCA: *book review* **807**
Brown JJS, Gregg AK, Powell RM, Fox AJ and **Spiers PS** Prevalence of *Helicobacter pylori* among intensive care unit nurses: *abstract* **348P**
Brown JM and **Dimeski G** Contamination of coagulation tests with heparin from blood gas samples **628**
Browne IM *see* Birnbach DJ **488**
Bruce J *see* Nieuwenhuijs D **860**
Brudney S *see* Bright D **366P**
Bruhn J, Bouillon TW and **Shafer SL** Onset of propofol-induced burst suppression may be correctly detected as deepening of anaesthesia by approximate entropy but not by bispectral index **505**
Bryden DC *see* McViety J **373P**
Buggy DJ *see* Heidemann BH **320**; Kirkbride DA **166P**; Nortcliffe SA **657P**
Bullock R *see* Lu X **333P**
Burchett KR *see* Prickett J **339P**
Burke D *see* Whiteside JB **168P**
Burm AGL *see* Veering BT **738**
Burns A *see* Garfield M **350P**
Burry J *see* Rutter S **657P**
Busch T *see* Wolf S **593**

Calzia E, Koch M, Stahl W, Radermacher P and **Brinkmann A** Stress response during weaning after cardiac surgery **490**
Campbell FC *see* Baker RC **661P**
Carli F and **Mayo N** Measuring the outcome of surgical procedures: what are the challenges?: *editorial I* **531**
Carlisle J *see* Howell SJ **661P**; Oram MP **368P**
Carmichael RL *see* Townsend P **171P**
Carpenter MR, Gedney JA, Clarke FL and **Lawler PG** Changes in oxygenation after percutaneous tracheostomy: *abstract* **368P**
Carr B *see* Gurung AM **926**
Carr J *see* Tivey M **336P**
Casutt M *see* Iselin BM **246**
Chabot RJ *see* Gugino LD **421**
Charlton G *see* Monnery L **295**
Chassard D *see* Allaouchiche B **280**
Chatfield C *see* Low J **341P**
Cherian VT and **Smith I** Prophylactic ondansetron does not improve patient satisfaction in women using PCA after Caesarean section **502**
Cherqui D *see* Decailliot F **493**
Chester M *see* Agnew NM **169P**
Chiari P *see* Blanc P **848**
Chishti A *see* Lu X **333P**
Chishti A, Kirby J and **Baudouin SV** Neutrophil CXC chemokine receptor expression in sepsis: *abstract* **334P**
Chung F *see* Jin F **608**
Cittanova ML *see* Bolsin S **648**
Clark GH *see* Jackson RGM **360P**
Clark P *see* Lewis S **802**
Clark VA *see* Heidemann BH **320**
Clarke FL *see* Simms SG **338P**; Carpenter MR **368P**
Clarke SG *see* Pühringer FK **650**
Clothier PR *see* Visser L **156**
Coad DW and **Drummond GB** Does end-tidal carbon dioxide affect speed of induction of anaesthesia with propofol?: *abstract* **670P**
Coad N *see* Hutchinson SP **374P**
Coates S *see* Stenhouse CW **370P**
Coates S, Tivey M, Allsop P and **Stenhouse C** The modified early warning system: implementation in a district general hospital: *abstract* **369P**
Coates SJ *see* Tivey M **336P**; Stenhouse CW **370P**; Dillon KA **370P**
Cobas Meyer M *see* Marx G **172P**
Cobas Meyer M, Rueckoldt H, Marx G, Schuerholz T, Vangerow B, Ahrens J, Appiah R and **Leuwer M** Acute phase response (interleukin 6 and complement-1 inhibitor) to surgery in patients with oropharyngeal carcinoma: *abstract* **173P**
Cody C *see* Leonard SA **335P**
Collet D *see* Vincelot A **890**
Collett B-J Chronic opioid therapy for non-cancer pain **133**
Collighan N, Giannoudis PV, Koureaki O and **Bellamy MC** Interleukin 13 and inflammatory markers in human sepsis: *abstract* **666P**
Collighan N, Murdoch SD and **Bellamy MC** Interleukin-10 and tumour necrosis factor α concentrations and red cell hypochromasia in critical illness: *abstract* **170P**
Collins I *see* Iohom G **855**
Columb MO *see* Gorton H **662P**; Maguire S **809**; Nirmalan M **173P**; Nirmalan M **362P**
Contereras M *see* Boralessa H **347P**
Convery PN, Milligan KR, Quinn P, Sjövall J and **Gustafsson U** Efficacy and uptake of ropivacaine and bupivacaine after single intra-articular injection in the knee joint **570**
Conway D *see* Harper NJN **625**
Conway DH and **Goodall JR** Early extubation after oesophagectomy: effect on outcome: *abstract* **348P**
Cook TM, Protheroe RT and **Handel JM** Tetanus: a review of the literature **477**
Cooper C *see* Brealey DA **340P**

Corona A, Wilson P and **Singer M** Incidence of bacteraemia, severity of illness and outcome: a 6-month prospective audit: *abstract* **374P**
Corona A, Wilson P and **Singer M** Source, type, and resistance patterns of nosocomial bacteraemia in a teaching hospital ICU: a 6-month prospective audit: *abstract* **336P**
Cortiella J *see* Kaur S **894**
Cortínez LI, Brandes V, Muñoz HR, Guerrero ME and **Mur M** No clinical evidence of acute opioid tolerance after remifentanil-based anaesthesia **866**
Coventry DM Tumescent Local Anaesthesia: *book review* **162**
Coyne L *see* Laws D **380**
Coyne L, Errington AC and **Lees G** Modulation of synaptic activity in mammalian neurones by the sleep hormone *cis*-9, 10-octadecenoamide: *abstract* **171P**
Craig G *see* McGill N **363P**
Creed GM, Fox T, Pierre D, Beale R and **Leach R** Is the measurement of total magnesium obsolete?: *abstract* **371P**
Crerar-Gilbert A, Bishop H, Pickett JA and **Marks RRD** Continuous arteriovenous oximetry as a measure of perfusion during hypothermic cardiopulmonary bypass: *abstract* **660P**
Critchley LAH and **Woodward DK** Haemodynamic effects of three doses of dihydroergotamine during spinal anaesthesia **499**
Cross MH *see* Atkins ML **663P**
Crupi G *see* Sonzogni V **429**
Cucchiaro G *see* Labat F **935**
Cullen P *see* AL-Samsam RH **331P**
Cunningham MJ *see* Tivey M **336P**
Cupitt JM and **Morgan RJM** Brain stem death tests and training in intensive care medicine: *abstract* **343P**
Cupitt JM Prophylaxis against thromboembolism in patients with traumatic brain injury: a survey of UK practice: *abstract* **344P**

D'Sa Barros AAB *see* Baker RC **661P**
Dahan A *see* Nieuwenhuijs D **860**
Dahl JB *see* Jørgensen H **577; Jørgensen H 727**
Dahmani S, Dupont H, Mantz J, Desmonts JM and **Keita H** Predictive factors of early morphine requirements in the post-anaesthesia care unit (PACU) **385**
Dakin M *see* Quinn A **674P**
Daly K and **McLuckie A** Outcome of patients who receive renal replacement therapy in the intensive care unit: *abstract* **332P**
Daly K and **McLuckie A** Outcome of patients who require re-admission to the Intensive Care Unit: *abstract* **349P**
Davidson AC *see* Ng A **663P**
Davies DWL *see* Stephens R **306**
Davies N *see* Brealey D **340P**
Davies W *see* Lockhart AS **940**
Davis L, Jovanovic S, Howell S and **Sear J** Perioperative β-blockade: *correspondence* **154**
Dawson S *see* Jones C **330P**
De Senna V *see* Ridley S **354P**
De Silva RJ , Anderson A, Tempest H and **Ridley S** Sequential organ scoring as a measure of effectiveness of care in the high dependency unit: *abstract* **356P**
Deakin CD *see* Nanson J **237**
Debon R *see* Allaouchiche B **280**
Decailliot F, Cherqui D, Leroux B, Lanteri-Minet M, Ben Saïd S, Husson E, Duvaldestin P and **Stéphan F** Effects of portal triad clamping on haemodynamic conditions during laparoscopic liver resection **493**
Deja M *see* Wolf S **593**
Delchier J-C *see* Rezaiguia-Delclaux S **204**
Deleuze A *see* Kurdi O **943**
Demeyere R *see* Möllhoff T **718**
Desmonts JM *see* Dahmani S **385**
Desruennes E *see* Bourgain JL **870**
Deulkar U *see* Visser L **156**
Deutrich C *see* Rueffert H **240**
Dhonneur G *see* Rezaiguia-Delclaux S **204**
Dillon KA, Coates SJ and **Stenhouse CW** Bereavement follow-up in intensive care: *abstract* **370P**
Dimeski G *see* Brown JM **628**
Dirks J *see* Jørgensen H **577; Jørgensen H 727**
Dix P *see* Onslow J **803**
Dodds C *see* Kumar CM **631**
Dorrington KL *see* Bangham AD **519;** Nagyova B **897**
Dresner M *see* Hildyard CL **672P**
Dresner M, Bellamy M and **Pinder AJ** Predictors of dissatisfaction with epidural analgesia during labour: *abstract* **659P**
Driessen B, Jahr JS, Lurie F, Griffey SM and **Gunther RA** Effects of haemoglobin-based oxygen carrier Hemoglobin glutamer-200 (bovine) on intestinal perfusion and oxygenation in a canine hypovolaemia model: *erratum* **164**
Drummond G *see* Jones JG **939**
Drummond GB *see* Coad DW **670P;** Nieuwenhuijs D **860;** O'Shea H **286;** Rahman MQ **198;** Thompson S **283**
Dubousset AM *see* Labat F **935**
Duflo F *see* Allaouchiche B **280**
Dughes D, Hill D and **Fee JPH** Intrathecal ropivacaine or bupivacaine with fentanyl for labour **733**
Duncan B *see* Bellamy MC **665P**
Dunsire MF *see* Pühringer FK **650**
Dunsire MF, Field J and **Valentine S** Delayed diagnosis of cardiac tamponade following isolated blunt abdominal trauma **309**
Dupont H *see* Dahmani S **385**
Durbridge J *see* Esler MD **932**
Durga VK, Millns JP and **Smith JE** Manoeuvres used to clear the airway during fibreoptic intubation **207**
Durward A *see* Mayer A **354P**
Dutta D, Pandit JJ and **Morris JF** Spread of injectate with superficial cervical plexus block in the cadaver: *abstract* **665P**
Duvaldestin P *see* Decailliot F **493;** Rezaiguia-Delclaux S **204**
Dybvik T *see* Möllhoff T **718**
Dyer I *see* Bright D **366P**

Eberle B *see* Markstaller K **459**
Eccleston C Role of psychology in pain management **144**
Eddleston J *see* Jones C **330P**
Edsberg L *see* Sjöstrand F **834**
Edwards JD *see* Nirmalan M **173P;** Nirmalan M **362P**
Edwards N *see* Howell SJ **661P**
Edwards ND *see* Hanna C **654P**
Egan A, Sehgal N and **Sperry D** Impact of the implementation of a guideline for sedation in the intensive care unit: *abstract* **364P**
Egner W *see* Stephens R **306**
Elcock D *see* Nanson J **237**
Eldridge PR *see* Nurmikko TJ **117**
Eliathamby TG *see* Umapathy N **322**
Elliott P *see* Gormley SMC **669P**
Elliott RA *see* Moore EW **667P**
ElSakka NE, Lowe PR, Galley HF and **Webster NR** Polymorphism of the manganese superoxide dismutase gene *SOD2: abstract* **170P**
Endoh H, Honda T, Oohashi S, Nagata Y, Shibue C and **Shimoji K** Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass **223**
Engelhardt T, Galley HF and **Webster NR** The effect of propofol and ketamine on phosphodiesterase activity: *abstract* **667P**
Errington AC *see* Coyne L **171P**
Esler MD, Durbridge J and **Kirby S** Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**
Eustace N, Hennessy A and **Gardiner J** Dural puncture and subsequent blood patches in the obstetric population: *abstract* **673P**
Evans RD *see* Nicholson SC **844**
Evered L *see* Maruff P **518**
Ewaldsson C-A and **Hahn RG** Volume kinetics of Ringer's solution during induction of spinal and general anaesthesia **406**

Fawcett D *see* Quinlan J **348P**
Fee JPH *see* Blair JM **415;** Hughes D **733**
Felber S *see* Lorenz IH **691**
Fenton R *see* Bolad N **668P**
Fernando R *see* Sodhi V **672P**
Ferri F *see* Sonzogni V **429**
Fiege M *see* Wappler F **794**
Field J *see* Dunsire MF **309**
Filisetti P *see* Sonzogni V **429**
Findlay G *see* Shah S **365P**
Findon G *see* Merry AF **291**

Fischer JE *see* Weiss M **453**
Fischler M *see* Bourgain JL **870**
Fletcher GC and **Garrioch MA** National 1-day survey of haemoglobin in Scottish Intensive Care Units (ICUs): *abstract* **345P**
Flucker C *see* Parker JL **176P**
Foëx P *see* Higham HE **662P**; Sear JW **669P**; Yao L **258**
Fomsgaard JS *see* Jørgensen H **577**; Jørgensen H **727**
Formanek V *see* Gugino LD **421**
Fox AJ *see* Brown JJS **348P**
Fox T *see* Creed GM **371P**
Francis S *see* Gregg AK **174P**
Fraser WD *see* Ledson JF **335P**
Freeman J *see* Hildyard CL **672P**
Froeba G *see* Nalos M **497**
Frossard J *see* Hurley R **369P**
Froster UG *see* Rueffert H **240**
Führer I *see* Hirsch J **928**
Fujiwara Y *see* Kono M **644**
Fulton B *see* Lu X **333P**

Gager M *see* Jones C **330P**; Quinlan J **348P**; Hames KC **372P**
Galletly DC and **Larsen PD** Cardioventilatory coupling in heart rate variability: methods for qualitative and quantitative determination **827**
Galletly DC *see* Larsen PD **819**
Galley HF *see* Abdel-Fattah A **666P**; Engelhardt T **667P**; ElSakka NE **170P**; Townsend P **171P**; Williams AC **671P**
Gao F *see* McAuley D **361P**, Giles S **361P**
Gardiner G *see* Pambakian S **355P**
Gardiner J *see* Eustace N **673P**
Garfield M, Ridley S, Kong A, Burns A, Blunt M and **Gunning K** Assessment of the seasonal variation in admission rates to intensive care units: *abstract* **350P**
Garrioch MA *see* Fletcher GC **345P**
Gascoigne A *see* Lu X **333P**; Visser L **799**
Gauss A *see* Meierhenrich R **711**
Gedney JA *see* Simms SG **338P**; Saravanan PL **367P**; Carpenter MR **368P**
Gemmel L *see* Subbe CP **359P**
Gemmell LM Key Topics in Anaesthesia—Clinical Aspects: *book review* **160**
Georgieff M *see* Meierhenrich R **711**; Nalos M **497**
Gerber AC *see* Weiss M **453**
Giannoudis PV *see* Collighan N **666P**
Gibson I *see* Nolan AM **655P**
Giles S *see* McAuley D **361P**
Giles S, McAuley D and **Gao F** Intrathoracic blood volume reflects circulatory volume status in patients with ARDS in the prone position: *abstract* **361P**
Gillespie JI *see* Lu X **333P**
Gin T *see* Karmakar MK **312**
Girard C *see* Blanc P **848**
Girling KJ *see* Bedforth NM **193**
Glen JB *see* Nolan AM **655P**
Goldacre M *see* Sear JW **669P**
Goldfrad C *see* Young JD **543**
Goldhill D *see* Boralessa H **347P**
Goldsack C *see* Hurley R **369P**
Good T Key Topics in Accident and Emergency Medicine: *book review* **161**
Goodall JR *see* Conway DH **348P**
Goodman NW Principles of Physiology for the Anaesthetist: *book review* **525**
Goodwin D *see* Smith AF **654P**
Gordon DL *see* McGaghie WC **647**
Gormley SMC, Allen SJ, Armstrong MA, McClean E, Elliott P, McMurray TJ and **McBride WT** Methylprednisolone administration reduces renal proximal tubular injury during cardiac surgery: *abstract* **669P**
Gorton H, Columb MO and **Lyons G** Thrombelastograph® and laboratory markers of thrombophilia: *abstract* **662P**
Gorton HJ *see* Atkins ML **663P**
Gosling P *see* Bowen D **339P**
Goto F *see* Kanno T **507**
Grabham JA *see* Matthews HA **358P**
Grandchamp P *see* Vincelot A **890**
Grant IS *see* Hughes M **331P**
Grattan N *see* Mostafa SM **343P**
Gratton N *see* Ledson JF **335P**
Gratz KF *see* Marx G **172P**
Green M *see* Mills GH **876**
Greer R *see* Harper NJN **625**
Greer R, Russell W and **Harper NJN** The effect of neuromuscular block on oxygen consumption in patients with high oxygen requirements undergoing mechanical ventilation: *abstract* **349P**
Greer R, Severn AM, Willis S and **Peacock M** The effect of obturator nerve block on chronic hip pain: *abstract* **664P**
Gregg AK *see* Brown JJS **348P**
Gregg AK, Francis S, Sharpe P and **Rowbotham DJ** Analgesic effect of gabapentin premedication in laparoscopic cholecystectomy: a randomized double-blind placebo-controlled trial: *abstract* **174P**
Gregg AK, Strupish J, Rushman SC and **Thompson JP** Effects of remifentanil on plasma catecholamine response to laryngoscopy and endotracheal intubation: *abstract* **166P**
Griffey SM *see* Driessen B **164**
Griffin SM *see* Visser L **799**
Griffiths RD *see* Jones C **330P**; Jones C **342P**; Skirrow P **342P**
Grimaud D *see* Boisseau N **564**
Grobbee DE *see* van Klei WA **250**
Grocott MPW *see* Hurley R **369P**
Grounds RM Conscious Sedation: *book review* **162**
Grounds RM *see* Ball JAS **359P**; Venn RM **684**
Groupe d'Etudes des Réactions Anaphylactoïdes Peranesthésiques *see* Laxenaire MC **548**
Grundler S *see* Shah S **365P**
Guerrero ME *see* Cortínez LI **866**
Gugino LD, Chabot RJ, Prichep LS, John ER, Formanek V and **Aglio LS** Quantitative EEG changes associated with loss and return of consciousness in healthy adult volunteers anaesthetized with propofol or sevoflurane **421**
Guha A, Mostafa SM and **Kendall JB** The Montgomery T-tube: anaesthetic problems and solutions **787**
Gunning K *see* Garfield M **350P**
Gunther RA *see* Driessen B **164**
Gurung AM, Carr B and **Smith I** Thrombocytosis in intensive care **926**
Gustafsson U *see* Convery PN **570**; McNamee DA **743**

Habib A *see* Ng A **663P**
Habre W, Asztalos T, Sly PD and **Petak F** Viscosity and density of common anaesthetic gases: implications for flow measurements **602**
Hahn RG *see* Ewaldsson CA **406**; Sjöstrand F **834**
Hall GM *see* Salmon P **815**
Hall GM, Peerbhoy D, Shenkin A, Parker CJR and **Salmon P** Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses **537**
Hall JE *see* Vashisht R **167P**
Hamer M *see* Pilcher DV **353P**
Hames KC, Gager M and **Waldmann CS** Patient satisfaction with specialist ICU follow-up: *abstract* **372P**
Hamnegard CH *see* Mills GH **876**
Hancock SM *see* Mahajan RP **174P**
Hancock SM, Mahajan RP and **Athanassiou L** Non-invasive estimation of cerebral perfusion pressure and zero-flow pressure in healthy volunteeers: effects of changes in carbon dioxide: *abstract* **175P**
Hancox D *see* Stanley IR **346P**
Handel G *see* Innes R **362P**
Handel JM *see* Cook TM **477**
Hanna C, Varma S, Andrade J, Keegan S and **Edwards ND** Learning during surgery: *abstract* **654P**
Harden RN Complex regional pain syndrome **99**
Hargreaves IP *see* Brealey DA **340P**
Harle C *see* Lockhart AS **940**
Harper N *see* Longshaw M **330P**
Harper NJN Central Line and Arterial Line Insertion: *CD review* **528**
Harper NJN *see* Greer R **349P**
Harper NJN, Greer R and **Conway D** Neuromuscular monitoring in intensive care patients: milliamperage requirements for supramaximal stimulation **625**

Harry R, Black C, Langley P and **Wendon J** Activation of inflammatory cascades during haemodiafiltration using Duraflo® heparin coated circuits: *abstract* **338P**
Hartmann K *see* Weiss M **453**
Hasan K *see* Thomas D **515**
Hashimoto Y *see* Hirota K **671P**
Hatfield A and **Rawal N** Numbness a greater problem than pain?: *correspondence* **942**
Häufler G *see* Scholz SE **441**
Hawksworth C *see* Rooney KD **352P**
Hayes N *see* Visser L **799**
Haynes SL *see* Torella F **165P**
Heales SJR *see* Brealey DA **340P**
Heap MJ *see* Hutchinson SP **374P**
Hearney D *see* Leonard SA **335P**
Heffernan AM and **Rowbotham DJ** Efficacy of transcutaneous spinal electroanalgesia on thermal sensation and pain thresholds in healthy volunteers: *abstract* **664P**
Heidemann BH, Clark VA, Ayorinde BT and **Buggy DJ** Use of pre-emptive vasopressors for spinal anaesthesia-induced hypotension during Caesarean section: *correspondence* **320**
Heinrichs W *see* Markstaller K **459**
Hempelmann G *see* Scholz SE **441**
Heneghan C and **Young D** Right heart catheterization in intensive care: *correspondence* **155**
Henle S *see* Immer-Bansi A **791**
Hennessy A *see* Eustace N **673P**
Herregods L *see* Möllhoff T **718**
Higham HE, Sear JW, Neill F and **Foëx P** Risk factor stratification for adverse outcome in vascular surgical patients: *abstract* **662P**
Hildyard CL, Quinn A, Dresner M and **Freeman J** Cyclizine reduces the incidence of nausea and vomiting after elective Caesarean section with intrathecal diamorphine: *abstract* **672P**
Hill D *see* Hughes D **733**
Hill DA *see* Blair JM **415**
Hillman DR *see* Taylor I **153**
Hinteregger M *see* Lorenz IH **691**
Hirota K and **Kushikata T** Central noradrenergic neurones and the mechanism of general anaesthesia: *editorial I* **811**
Hirota K, Hashimoto Y and **Lambert DG** Interaction of i.v. anaesthetic induction agents with recombinant human m1–m3 muscarinic receptors expressed in Chinese hamster ovary cells: *abstract* **671P**
Hirsch J, Führer I, Kuhly P and **Schaffartzik W** Preoxygenation: a comparison of three different breathing systems **928**
Hiscock R *see* McD Neal S **658P**
Ho AM-H *see* Karmakar MK **312**
Holte K *see* Kehlet H **62**
Honda T *see* Endoh H **223**
Honig W *see* Blokland A **781**
Hop WCJ *see* Bouwmeester NJ **390**
Hörmann C *see* Lorenz IH **691**
Höterkes F *see* Obal D **905**
Houweling PJ *see* Booij LHDJ **805**
Howell S *see* Davis L **154**
Howell SJ *see* Innes RJ **362P**; Onslow J **803**; Sear JW **669P**
Howell SJ, Thompson J, Nimmo A, Edwards N, Snowden C, Carlisle J, Suleiman MS and **Baumbach A** Subclinical perioperative myocardial injury in patients undergoing major vascular surgery: *abstract* **661P**
Hübler M *see* Müller M **784**
Hughes JC and **Thomas DW** Autologous transfusion in total knee replacement surgery: *correspondence* **941**
Hughes M, MacKirdy FN, Ross J, Norrie J and **Grant IS** A prospective, observational study of ARDS in a cohort of patients in Scottish Intensive Care Units: *abstract* **331P**
Humphris G *see* Jones C **330P**; Jones C **342P**; Jones C **342P**
Hunter JM *see* Moore EW **912**
Hunter K, Thornton C and **Vaughan DJA** Effect of intubation with and without opioids on the subcortical somatosensory evoked response: *abstract* **655P**
Hurley R, Grocott MPW, Siva M, Goldsack C, Frossard J and **Mythen MG** Tonometry-guided therapy: an algorithm-testing pilot study: *abstract* **369P**
Husson E *see* Decailliot F **493**
Hutchinson H *see* Jones C **330P**
Hutchinson SP, Heap MJ and **Coad N** Emergency abdominal aortic aneurysm surgery. Validation of a scoring system: *abstract* **374P**
Hüttner I *see* Boldt J **435**; Suttner SW **699**

Imison A Epidural catheter associated duritis: *correspondence* **321**
Immer FF *see* Immer-Bansi A **791**
Immer-Bansi A, Immer FF, Henle S, Spörri S and **Petersen-Felix S** Unnecessary emergency Caesarean section due to silent CTG during anaesthesia? **791**
Immink-Speet TTM *see* Veering BT **738**
Ingham J *see* Oram MP **368P**
Innes R and **Handel G** Catheter-related sepsis in critically ill patients on parenteral nutrition: *abstract* **362P**
Innes RJ, Howell SJ and **Suleiman MS** Cardiac troponin I and CK-MB as indicators of myocardial injury after major vascular surgery: *abstract* **362P**
Iohom G, Collins I, Murphy D, Awad I, O'Connor G, McCarthy N and **Shorten G** Postoperative changes in visual evoked potentials and cognitive function tests following sevoflurane anaesthesia **855**
Iselin BM, Willimann PFX, Seifert B, Casutt M, Bombeli T, Zalunardo MP, Pasch T and **Spahn DR** Isolated reduction of haematocrit does not comprise *in vitro* blood coagulation **246**
Ishikawa S, Yokoyama K, Kuroiwa T and **Makita K** Evolution of cerebral ischaemia induced by thromboembolism in rats detected by early sequential MR imaging **469**
Isono S *see* Tanaka A **706**
Issenberg SB *see* McGaghie WC **647**
Itoh H, Shibata K and **Nitta S** Difference in sensitivity to vecuronium between patients with ocular and generalized myasthenia gravis **885**

Jackson RGM, Samra GS, Minto GW, Clark GH and **Price CP** Profile of serum protein S-100B release after cardiac arrest: preliminary data: *abstract* **360P**
Jahr JS *see* Driessen B **164**
Jansen JRC, Schreuder JJ, Mulier JP, Smith NT, Settels JJ and **Wesseling KH** A comparison of cardiac output derived from the arterial pressure wave against thermodilution in cardiac surgery patients **212**
Jegaden O *see* Blanc P **848**
Jeganath V, McElwaine JG and **Stewart P** Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
Jensen TS *see* Nikolajsen L **107**
Jepegnanam C and **Laurence AS** Linear analogue anxiety scale or hospital anxiety and depression score to assess preoperative anxiety in day case surgery: *abstract* **675P**
Jeremy JY *see* Stuart-Smith K **272**
Jin F and **Chung F** Minimizing perioperative adverse events in the elderly **608**
John ER *see* Gugino LD **421**
Johnston S *see* Taylor I **153**
Jolles J *see* Blokland A **781**
Jones C *see* Skirrow P **342P**; Warner OJ **372P**
Jones C, Skirrow P, Griffiths RD and **Humphris G** Smoking cessation post-critical illness is aided by a self-help rehabilitation programme: *abstract* **342P**
Jones C, Skirrow P, Griffiths RD, Humphris G, Dawson S, White P, Eddleston J, Waldmann C, Gager M, Hutchinson H and **Lloyd A** Rehabilitation after critical illness: a randomized, controlled trial: *abstract* **330P**
Jones DP *see* Powell SL **660P**
Jones JG and **Drummond G** Airway obstruction and sleep after surgery: *correspondence* **939**
Jones N *see* Thomas R **588**
Jones RS Comparative mortality in anaesthesia: *editorial II* **813**
Jones SL, O'Daly D and **Sinclair S** Pilot of tool for assessing quality of life experienced by survivors of multiple trauma requiring intensive care: *abstract* **337P**
Jørgensen H, Fomsgaard JS, Dirks J, Wetterslev J, Andreasson B and **Dahl JB** Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**
Jørgensen H, Fomsgaard JS, Dirks J, Wetterslev J, Andreasson B and **Dahl JB** Effect of epidural bupivacaine *vs* combined epidural

bupivacaine and morphine on gastrointestinal function and pain after major gynaecological surgery **727**
Joseph P *see* Blanc P **848**
Jovanovic S *see* Davis L **154**
Julia A *see* Vincelot A **890**

Kaisers U *see* Wolf S **593**
Kallis P *see* Stephens R **306**
Kalogrianitis S, Barrett P and **Schackleford I** ADCON-L and hypotension during lumbar microdiscectomy **770**
Kamijyo T *see* Kanno T **507**
Kaney S *see* Skirrow P **342P**
Kannan S *see* Lewis S **802**
Kanno T, Yoshikawa D, Tomioka A, Kamijyo T, Yamada K and **Goto F** Hydrothorax: an unexpected complication after laparoscopic myomectomy **507**
Karmakar MK, Gin T and **Ho AM-H** Ipsilateral thoraco-lumbar anaesthesia and paravertebral spread after low thoracic paravertebral injection **312**
Kato R *see* Yao L **258**
Katz RL *see* Norman J **524**
Kauczor H-U *see* Markstaller K **459**
Kaur S, Cortiella J and **Vacanti CA** Diffusion of nitrous oxide into the pleural cavity **894**
Kause J *see* Rechner IJ **333P**
Kazmaier F *see* Pühringer FK **650**
Keegan S *see* Hanna C **654P**
Keeling DM *see* Nicholson SC **844**
Kehlet H and **Holte K** Effect of postoperative analgesia on surgical outcome **62**
Keita H *see* Dahmani S **385**
Kelleher N *see* Leonard SA **335P**
Kendall JB *see* Guha A **787**
Kenny GNC *see* Absalom AR **778;** Amutike D **175P**
Kenny GNC The Electronic Anesthesiology Library: *CD review* **944**
Kerr J *see* Moore EW **667P**
Khaw KS *see* Ngan Kee WD **772**
Khder Y *see* Blanc P **848**
Kidd BL and **Urban LA** Mechanisms of inflammatory pain **3**
Kikuchi H *see* Kotake Y **774**
Kim A *see* Birnbach DJ **488**
Kingshott RN *see* Rahman MQ **198**
Kinney MAO, Warner ME, Nagorney DM, Rubin J, Schroeder DR, Maxson PM and **Warner MA** Perianaesthetic risks and outcomes of abdominal surgery for metastatic carcinoid tumours **447**
Kinsella SM *see* Wildsmith JAW **649**
Kirby J *see* Chishti A **334P**
Kirby S *see* Esler MD **932**
Kirkbride DA, Parker JL, Williams GD and **Buggy DJ** Induction of anaesthesia in the elderly day-case patient: double-blind comparison of propofol and sevoflurane: *abstract* **166P**
Kirnö K *see* Möllhoff T **718**
Kitahara M *see* Kono M **644**
Knape JTA *see* van Klei WA **250**
Kobayashi T *see* Tashiro K **266**
Koch M *see* Calzia E **490**
Kolbitsch C *see* Lorenz IH **691**
Komatsu H, Matsumoto S and **Mitsuhata H** Comparison of patient-controlled epidural analgesia with and without night-time infusion following gastrectomy **633**
Kong A *see* Garfield M **350P**
Kono M, Yahagi N, Kitahara M, Fujiwara Y, Sha M and **Ohmura A** Cardiac arrest associated with use of an argon beam coagulator during laparoscopic cholecystectomy **644**
Konzaki T *see* Tashiro K **266**
Kotake Y, Takeda J, Matsumoto M, Tagawa M and **Kikuchi H** Subclinical hepatic dysfunction in laparoscopic cholecystectomy and laparoscopic colectomy **774**
Koureaki O *see* Collighan N **666P**
Kraiprasit K *see* Suraseranivongse S **400**
Kremser C *see* Lorenz IH **691**
Krueger M *see* Subbe CP **359P**
Kuhly P *see* Hirsch J **928**
Kumar CM and **Dodds C** Evaluation of the Greenbaum sub-Tenon's block **631**
Kumle B *see* Boldt J **435;** Suttner SW **699**
Kurdi O, Deleuze A, Marret E and **Bonnet F** Asystole during anaesthetic induction with remifentanil and sevoflurane: *correspondence* **943**
Kurian J and **Renwick N** An unusual case of airway obstruction: *correspondence* **804**
Kuroiwa T *see* Ishikawa S **469**
Kushikata T *see* Hirota K **811**
Kyriacou PA *see* Powell SL **660P**
Kyroussis D *see* Mills GH **876**

Labat F, Dubousset AM, Baujard C, Wasier AP, Benhamou D and **Cucchiaro G** Epidural analgesia in a child with sickle cell disease complicated by acute abdominal pain and priapism **935**
Lal A *see* Amutike D **175P**
Lamb PJ *see* Visser L **799**
Lambert DG *see* Hirota K **671P**
Land JM *see* Brealey DA **340P**
Lang K *see* Suttner SW **699**
Langford RM *see* Powell SL **660P**
Langley P *see* Harry R **338P**
Langton JA Problems in Anesthesia Series. Airway Management: *book review* **328**
Lanteri-Minet M *see* Decailliot F **493**
Lapish K *see* Lumb AB **165P**
Larsen PD and **Galletly DC** Cardioventilatory coupling in heart rate variability: the value of standard analytical techniques **827**
Larsen PD *see* Galletly DC **819**
Latter JA *see* Wild MR **668P**
Laurence AS *see* Jepegnanam C **675P;** Vashisht R **167P**
Laurent G *see* Xu P **334P**
Lawler P *see* Robson V **352P**
Lawler PG *see* Saravanan PL **367P;** Carpenter MR **368P**
Laws D, Verdon B, Coyne L and **Lees G** Fatty acid amides are putative endogenous ligands for anaesthetic recognition sites in mammalian CNS: *editorial II* **380**
Laws DP and **Lees G** Oleamide: a putative endogenous ligand for anaesthetic receptor sites: *abstract* **172P**
Laxenaire MC, Mertes PM and **Groupe d'Etudes des Réactions Anaphylactoïdes Peranesthésiques** Anaphylaxis during anaesthesia. Results of a two-year survey in France **548**
Le Roux C *see* Blanloeil Y **635**
Le Teurnier Y *see* Blanloeil Y **635**
Leach R *see* Creed GM **371P**
Ledson JF Critical Care Focus 6. Cardiology in Critical Illness: *book review* **653**
Ledson JF, Masterson GR, Mostafa SM, Gratton N, Manning E and **Fraser WD** Elevated bone turnover in hypercalcaemic and normocalcaemic critically ill patients: *abstract* **335P**
Lee BB *see* Ngan Kee WD **772**
Lee C Structure, conformation, and action of neuromuscular blocking drugs **755**
Lees G *see* Coyne L **171P;** Laws D **380;** Laws DP **172P**
Lehot JJ *see* Blanc P **848**
Leonard SA, Maloney G, Kelleher N, Hearney D, Cody C and **Shorten GD** S100β—a marker for septic encephalopathy?: *abstract* **335P**
Leroux B *see* Decailliot F **493**
Lessard MR *see* Trépanier CA **316**
Leuwer M *see* Marx G **172P;** Cobas Meyer M **173P**
Lewis S, Clark P and **Kannan S** Diagnostic confusion caused by dapsone-induced methaemoglobinaemia: *correspondence* **802**
Limb E *see* Pilcher DV **353P**
Little RA *see* Nirmalan M **173P;** Nirmalan M **362P**
Litz RJ *see* Müller M **784**
Lloyd A *see* Jones C **330P**
Loadsman JA *see* Taylor I **153**
Lockhart AS, Harle CC and **Davies W** Anaphylactic reactions due to chlorhexidine allergy: *correspondence* **940**
Lockwood GG and **White DC** Measuring the costs of inhaled anaesthetics **559**
Lockwood GG *see* Bolad N **668P**
Lohbrunner H *see* Wolf S **593**

Longshaw M and **Harper N** Measurement of trans-diaphragmatic pressure in ventilated critically ill patients with multi-organ failure by phrenic nerve stimulation and balloon manometry, and its relationship to ventilator independence: *abstract* **330P**
Lorenz IH, Kolbitsch C, Hörmann C, Luger TJ, Schocke M, Felber S, Zschiegner F, Hinteregger M, Kremser C and **Benzer A** Influence of equianaesthetic concentrations of nitrous oxide and isoflurane on regional cerebral blood flow, regional cerebral blood volume, and regional mean transit time in human volunteers **691**
Low J and **Nolan J** Management of purpura fulminans: *correspondence* **650**
Low J *see* Baigel G **345P**
Low J, Nolan J and **Chatfield C** A comparison of four time periods over which to audit the number of high dependency unit (HDU) beds required: *abstract* **341P**
Low JHS and **Murray D** A survey of the use of epidural analgesia in general intensive care units in England: *abstract* **341P**
Lowe PR *see* ElSakka NE **170P**
Lu X, Chishti A, Fulton B, Bullock R, Batchelor A, Gascoigne A, Gillespie JI and **Baudouin SV** Circulating endothelial progenitor cells in human sepsis: *abstract* **333P**
Lucas N *see* Robinson PN **673P**
Luger TJ *see* Lorenz IH **691**
Lumb AB, Lapish K, Ramsden W and **Lyons G** Effect of sustained lung inflation on pulmonary atelectasis during general anaesthesia in paediatric oncology patients: *abstract* **165P**
Lurie F *see* Driessen B **164**
Lyons G Resuscitation in Pregnancy: A Practical Approach: *book review* **946**
Lyons G *see* Gorton H **662P**; Lumb AB **165P**
Lyons GR *see* Smith PS **674P**

MacAdams C *see* Möllhoff T **718**
Macintosh ID, Nadel S, Britto J and **Sair M** Use of multiparameter tissue gas monitoring probes in children with meningococcal sepsis: *abstract* **353P**
Macintyre PE Safety and efficacy of patient-controlled analgesia **36**
MacKillop A and **Sidaras G** Is it safe to artificially ventilate a paralysed patient through a laryngeal mask?: *correspondence* **803**
MacKirdy FN *see* Hughes M **331P**
Macrae WA Chronic pain after surgery **88**
Maguire S and **Columb MO** Brain Death: *book review* **809**
Mahajan RP *see* Bedforth NM **193**; Hancock SM **175P**; Wild MR **668P**
Mahajan RP, Hancock SM and **Athanassiou L** Bench study of the changes in estimated perfusion pressure and zero-flow pressure as assessed using Doppler ultrasonography: *abstract* **174P**
Makita K *see* Ishikawa S **469**
Maloney G *see* Leonard SA **335P**
Manara AR *see* Schuster-Bruce MJL **351P**
Manji M *see* Bowen D **339P**; Nath S **367P**
Manning E *see* Ledson JF **335P**
Mantz J *see* Dahmani S **385**
Marczin N and **Royston D** Nitric oxide as mediator, marker and modulator of microvascular damage in ARDS: *editorial I* **179**
Marks RRD *see* Crerar-Gilbert A **660P**
Markstaller K, Eberle B, Kauczor H-U, Scholz A, Bink A, Thelen M, Heinrichs W and **Weiler N** Temporal dynamics of lung aeration determined by dynamic CT in a porcine model of ARDS **459**
Marret E *see* Kurdi O **943**
Martin B *see* Visser L **799**
Martinelli G *see* Absalom AR **512**
Maruff P, Silbert B, Evered L, Millar K, Ashury AJ and **Murray GD** Cognitive decline following cardiac surgery: *correspondence* **518**
Marx G Perioperative Medicine: *book review* **161**
Marx G *see* Cobas Meyer M **173P**
Marx G, Cobas Meyer M, Schuerholz T, Vangerow B, Schmittko J, Gratz KF, Winkler M, Rueckoldt H and **Leuwer M** Terminal complement complex in porcine septic shock with capillary leak syndrome: *abstract* **172P**
Mason RA The Complete Recovery Room Book: *book review* **652**
Mastan M *see* Visser L **156**
Masterson G Pharmacology for the Critically Ill: *book review* **808**
Masterson GR *see* Ledson JF **335P**
Matsumoto M *see* Kotake Y **774**
Matsumoto S *see* Komatsu H **633**
Matthews HA, Williams OA, Grabham JA, Musto PP and **Raitt DG** Assessing the requirement for high dependency unit beds: *abstract* **358P**
Maxson PM *see* Kinney MAO **447**
Mayer A, Skellett S, Durward A, Tibby SM and **Murdoch IA** Underestimation of the anion gap because of hypoalbuminaemia: *abstract* **354P**
Mayo N *see* Carli F **531**
McAuley D *see* Giles S **361P**
McAuley D, Giles S and **Gao F** Duration of prone positioning in acute respiratory distress syndrome: *abstract* **361P**
McBride WT *see* Baker RC **661P**; Gormley SMC **669P**
McCarthy GJ *see* Walker RA **356P**
McCarthy N *see* Iohom G **855**
McClean E *see* Baker RC **661P**; Gormley SMC **669P**
McClelland AM *see* McNamee DA **743**
McCollum CN *see* Torella F **165P**
McD Neal S, Hiscock R, Anderson M, Ross A and **Solly M** A comparison of 0.0625% ropivacaine or bupivacaine combined with fentanyl $2\,\mu g\,ml^{-1}$ administered by patient-controlled epidural analgesia in labour: *abstract* **658P**
McElwaine JG *see* Jeganath V **302**
McFadyen JG *see* Allman KG **584**
McGaghie WC, Issenberg SB, Gordon DL and **Petrusa ER** Assessment instruments used during anaesthetic simulation: *corrrespondence* **647**
McGill N, Taylor B, Palmer J, Smith G, Craig G, Tweeddale M and **Pappachan J** Outcome of children treated in a district general hospital intensive care unit: an assessment of performance using two different scoring systems: *abstract* **363P**
McKinlay K, Rae CP, Anderson L and **Binning AR** Sedation of ventilated patients in intensive care—a national survey: *abstract* **358P**
McLeod S *see* Onslow J **332P**
McLuckie A *see* Daly K **332P**; Daly K **349P**
McMurray TJ *see* Gormley SMC **669P**
McNamee DA, Parks L, McClelland AM, Scott S, Milligan KR, Ahlén K and **Gustafsson U** Intrathecal ropivacaine for total hip arthroplasty: double-blind comparative study with isobaric 7.5 $mg\,ml^{-1}$ and 10 $mg\,ml^{-1}$ solutions **743**
McNicol R A Practice of Anesthesia for Infants and Children: *book review* **159**
McViety J and **Bryden DC** Subarachnoid haemorrhage affects QT interval length and QT dispersion: *abstract* **373P**
Mehaddi Y *see* Vincelot A **890**
Meierhenrich R, Gauss A, Georgieff M and **Schütz W** Use of multiplane transoesophageal echocardiography in visualization of the main hepatic veins and acquisition of Doppler sonography curves. Comparison with the transabdominal approach **711**
Meignan M *see* Rezaiguia-Delclaux S **204**
Mélot C *see* Soliman HM **186**
Menon DK *see* Bridgland IA **678**
Merry AF, Miller TE, Findon G, Webster CS and **Neff SPW** Touch contamination levels during anaesthetic procedures and their relationship to hand hygiene procedures: a clinical audit **291**
Mertes PM *see* Laxenaire MC **548**
Millar K Awareness During Anesthesia: *book review* **325**
Millar K *see* Maruff P **518**
Millar SM, Alston RP, Andrews PJD and **Souter MJ** Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
Miller TE *see* Merry AF **291**
Milligan KR *see* Convery PN **570**; McNamee DA **743**
Millns JP *see* Durga VK **207**
Mills GH *see* Morgan-Hughes NJ **289**
Mills GH Self Assessment Colour Review of General Critical Care: *book review* **527**
Mills GH, Ponte J, Hamnegard CH, Kyroussis D, Polkey MI, Moxham J and **Green M** Tracheal tube pressure change during magnetic stimulation of the phrenic nerves as an indicator of diaphragm strength on the intensive care unit **876**
Milner J *see* Quinn A **674P**
Minto GW *see* Jackson RGM **360P**

Miranda CC and **Newton MC** Successful defibrillation in the prone position **937**
Mitsuhata H *see* Komatsu H **633**
Moerman A *see* Möllhoff T **718**
Möllhoff T, Herregods L, Moerman A, Blake D, MacAdams C, Demeyere R, Kirnö K, Dybvik T, Shaikh S and the **Remifentanil Study Group** Comparative efficacy and safety of remifentanil and fentanyl in 'fast track' coronary artery bypass graft surgery: a randomized, double-blind study **718**
Monnery L, Nanson J and **Charlton G** Primary pulmonary hypertension in pregnancy: a role for novel vasodilators **295**
Montgomery JE *see* Stocker ME **638**
Moons KGM *see* van Klei WA **250**
Moore EW and **Hunter JM** The new neuromuscular blocking agents: do they offer any advantages? **912**
Moore EW, Moore JK, Kerr J, Elliott RA and **Payne K** Propofol and halothane *vs* sevoflurane in paediatric day case surgery: induction characteristics and recovery time: *abstract* **667P**
Moore JK *see* Moore EW **667P**
Morgan C *see* Boralessa H **347P**
Morgan P *see* Shah S **365P**
Morgan RJM *see* Cupitt JM **343P**
Morgan-Hughes NJ, Mills GH and **Northwood D** Air flow resistance of three heat and moisture exchanging filter designs under wet conditions: implications for patient safety **289**
Morris JF *see* Dutta D **665P**
Mort M *see* Smith AF **654P**
Mortimer AJ *see* Torella F **165P**
Moss E Notes in Neuroanaesthesia and Critical care: *book review* **326**
Mostafa SM and **Van Saene HKF** Critical Care Focus: *book review* **526**
Mostafa SM *see* Guha A **787;** Ledson JF **335P;** Robin NM **629**
Mostafa SM, Bhandari S, Ritchie G, Arthan E and **Grattan N** Constipation and its implications in the critically ill patient: a national survey of United Kingdom intensive care units: *abstract* **343P**
Moultrie S *see* O'Shea H **286**
Mouroux J *see* Boisseau N **564**
Mowbray P *see* Thomas DG **168P;** Thomas DG **658P**
Moxham J *see* Mills GH **876**
Mulier JP *see* Jansen JRC **212**
Müllenheim J *see* Obal D **905**
Müller M *see* Scholz SE **441**
Müller M, Litz RJ, Hübler M and **Albrecht DM** Grand mal convulsion and plasma concentrations after intravascular injection of ropivacaine for axillary brachial plexus blockade **784**
Mulvey DA *see* Booth SA **298**
Muñoz HR *see* Cortínez LI **866**
Muntraporn N *see* Suraseranivongse S **400**
Mur M *see* Cortínez LI **866**
Murdoch IA *see* Mayer A **354P**
Murdoch SD *see* Collighan N **170P**
Murphy D *see* Iohom G **855**
Murray D *see* Low JHS **341P**
Murray GD *see* Maruff P **518**
Musto PP *see* Matthews HA **358P**
Mythen M *see* Stephens R **306**
Mythen MG *see* Hurley R **369P**

Nadel S *see* Macintosh ID **353P**
Nagata Y *see* Endoh H **223**
Nagorney DM *see* Kinney MAO **447**
Naguib M Are fade and sustained post-tetanic facilitation characteristics of typical succinylcholine-induced block?: *correspondence* **522**
Nagyova B, O'Neill M and **Dorrington KL** Inhibition of active sodium absorption leads to a net liquid secretion into *in vivo* rabbit lung at two levels of alveolar hypoxia **897**
Nalos M, Wachter U, Pittner A, Georgieff M, Radermacher P and **Froeba G** Arterial and mixed venous xenon blood concentrations in pigs during wash-in of inhalational anaesthesia **497**
Nanson J *see* Monnery L **295**
Nanson J, Elcock D, Williams M and **Deakin CD** Do physiological changes in pregnancy change defibrillation energy requirements? **237**
Nath S *see* Bowen D **339P**
Nath S, Rosser D and **Manji M** The effect of H^+ concentration on electron transport chain function in hepatocytes: *abstract* **367P**
Nathan N *see* Vincelot A **890**
Neff SPW *see* Merry AF **291**
Neill F *see* Higham HE **662P**
Neill H and **Plenderleith L** Is variation in Standardized Mortality Ratio (SMR) determined by case mix?: *abstract* **371P**
Neumann U *see* Wolf S **593**
Newman T *see* Bright D **366P**
Newton MC *see* Miranda CC **937**
Ng A and **Smith G** Clinical Anesthesia: *book review* **159**
Ng A, Ayorinde B, Pallett E, Strupish J, Banerjee A and **Thompson J** Effect of cocaine and lidocaine on beat frequency of human nasal cilia: *abstract* **169P**
Ng A, Habib A, Swami A, Smith G and **Davidson AC** Effect of transcervical papaverine and bupivacaine on postoperative analgesia after laparoscopic application of filshie clips: *abstract* **663P**
Ng FF *see* Ngan Kee WD **772**
Ngan Kee WD, Khaw KS, Lee BB, Ng FF and **Wong MMS** Randomized controlled study of colloid preload before spinal anaesthesia for Caesarean section **772**
Nicholls M and **Patel A** ProSeal Laryngeal mask airway use for prolonged middle ear surgery: *correspondence* **323**
Nicholson SC, Keeling DM, Sinclair ME and **Evans RD** Heparin pretreatment does not alter heparin requirements during cardiopulmonary bypass **844**
Nieuwenhuijs D, Bruce J, Drummond GB, Warren PM and **Dahan A** Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers **860**
Nikolajsen L and **Jensen TS** Phantom limb pain **107**
Nimmo A *see* Howell SJ **661P**
Nirmalan M, Willard T, Columb MO, Edwards DJ and **Little RA** Effect of shock and controlled fluid resuscitation on extravascular lung water content in a combined trauma–hypovolaemic shock model: *abstract* **173P**
Nirmalan M, Willard T, Walsh K, Columb MO, Edwards JD and **Little RA** Haemodynamic monitoring in a combined trauma-hypovolaemic shock model: *abstract* **362P**
Nishino T *see* Tanaka A **706**
Nitta S *see* Itoh H **885**
Nolan AM, Gibson I and **Glen JB** Clinically relevant concentrations of propofol for *in vitro* studies: *abstract* **655P**
Nolan J *see* Low J **341P;** Low J **650**
Norman J and **Katz RL** Trans-Atlantic variation in response to neuromuscular blocking drugs: *correspondence* **524**
Norrie J *see* Hughes M **331P**
Nortcliffe SA and **Buggy DJ** Prophylaxis of nausea and vomiting after spinal morphine analgesia for Caesarean section: comparison between cyclizine, dexamethasone, and placebo: *abstract* **657P**
Northwood D *see* Morgan-Hughes NJ **289**
Norton B *see* Booth SA **298**
Nougarède B *see* Blanloeil Y **635**
Nurmikko TJ and **Eldridge PR** Trigeminal neuralgia—pathophysiology, diagnosis and current treatment **117**

O'Connor G *see* Iohom G **855**
O'Daly D *see* Jones SL **337P**
O'Neill M *see* Nagyova B **897**
O'Shea H, Moultrie S and **Drummond GB** Influence of nitrous oxide on induction of anaesthesia with sevoflurane **286**
Obal D, Preckel B, Scharbatke H, Müllenheim J, Höterkes F, Thämer V and **Schlack W** One MAC of sevoflurane provides protection against reperfusion injury in the rat heart *in vivo* **905**
Ohmura A *see* Kono M **644**
Ohmura S *see* Tashiro K **266**
Oldcorne MA *see* Sodhi V **672P**
Olthoff D *see* Rueffert H **240**
Onslow J, Howell SJ and **Dix P** Cancellation of hypertensive patients: *correspondence* **803**
Onslow J, Watters M, McLeod S and **Pickworth A** Intensive Care Society sedation procedure with morphine and midazolam as sedative agents reduces drug budget in intensive care without altering patient outcome: *abstract* **332P**
Oohashi S *see* Endoh H **223**

Oram MP, Ingham J, Swart M, Carlisle J and **Sinclair D** The use of an adapted anaesthetic simulator for the training of intensive care nurses: *abstract* **368P**
Orford N *see* Bolsin S **648**
Ousta B *see* Visser L **156**
Ovize M *see* Blanc P **848**

Padovani B *see* Boisseau N **564**
Page RD *see* Pennefather SH **800**
Pal SK *see* Bolad N **668P**
Pallett E *see* Ng A **169P**
Palmer J *see* McGill N **363P**
Pambakian S, Gardiner G and **Risdall JE** Initial assessment of the Servo 900C ventilator for use in a hyperbaric chamber: *abstract* **355P**
Pandit JJ *see* Dutta D **665P**
Pappachan J *see* McGill N **363P**
Park GR Sedation and analgesia—which way is best?: *editorial II* **183**
Park GR *see* Pulimood TB **364P**
Parker CJR *see* Hall GM **537**
Parker CJR www.capnography.com: *web site review* **653**
Parker JL *see* Kirkbride DA **166P**
Parker JL, Agarwal B, Russell W, Flucker C and **Thompson JP** Comparison of external jugular and central venous pressures in mechanically ventilated patients on the intensive care unit: *abstract* **176P**
Parks L *see* McNamee DA **743**
Pasch T *see* Iselin BM **246**
Patel A *see* Nicholls M **323**
Payne K *see* Moore EW **667P**
Peacock M *see* Greer R **664P**
Peerbhoy D *see* Hall GM **537**
Pennefather SH *see* Agnew NM **169P**
Pennefather SH, Page RD, Shackcloth MJ, Russell GN, Sherry KM and **Baudouin SV** Perioperative risk factors for acute lung injury following elective oesophagectomy: *correspondence* **800**
Perkins R Advanced Paediatric Life Support: The Practical Approach: *book review* **327**
Petak F *see* Habre W **602**
Petcharatana S *see* Suraseranivongse S **400**
Petersen-Felix S *see* Immer-Bansi A **791**
Peto Z and **Watts J** Cost implications of blood sampling on an intensive care unit: *abstract* **353P**
Petrusa ER *see* McGaghie WC **647**
Picker O, Scheeren TWL and **Arndt JO** Inhalation anaesthetics increase heart rate by decreasing cardiac vagal activity in dogs **748**
Pickett JA *see* Crerar-Gilbert A **660P**
Pickworth A *see* Onslow J **332P**
Pierre D *see* Creed GM **371P**
Pilcher DV, Limb E and **Hamer M** The application of a simple scoring system to audit the changes in practice and success of veno-venous haemofiltration within the intensive care unit of a district general hospital over 3 yr—a comparison of the predictive value of this scoring system with APACHE II: *abstract* **353P**
Pinder AJ *see* Dresner M **659P**; Quinn A **674P**
Piper SN *see* Boldt J **435**; Suttner SW **699**
Pittner A *see* Nalos M **497**
Plenderleith L *see* Wright JC **358P**; Neill H **371P**
Pogson D *see* Taylor I **153**
Polkey MI *see* Mills GH **876**
Poma R *see* Sonzogni V **429**
Pomfrett CJD A-ware: Study Edition. Multilingual Simulation Software for Anaesthesiology: *CD review* **527**
Ponte J *see* Mills GH **876**
Popat M *see* Rutter S **657P**
Pope C *see* Smith AF **654P**
Powell RM *see* Brown JJS **348P**
Powell SL, Kyriacou PA, Jones DP and **Langford RM** Investigation into the use of a new oesophageal pulse oximeter in cardiothoracic surgery patients: *abstract* **660P**
Poynter J *see* Robson V **352P**
Prakkamodom S *see* Suraseranivongse S **400**
Pratt PMJ Evaluation of APACHE II data collection in two Leicester Critical Care Units: *abstract* **347P**
Pratt S *see* Bowen D **339P**
Preckel B *see* Obal D **905**
Price CP *see* Jackson RGM **360P**
Prichep LS *see* Gugino LD **421**
Prickett J, Burchett KR and **Blunt MC** Inaccuracy in reported ICU beds availability—the 'hidden' intensive care: *abstract* **339P**
Protheroe RT *see* Cook TM **477**
Pühringer FK, Rex C, Renner M, Kazmaier F, Dunsire MF and **Clarke SG** Undiagnosed myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **650**
Pulimood TB, Webb P and **Park GR** A comparison of the active heat and moisture exchanging filter with a hot water bath humidifier and a standard heat and moisture exchanging filter: *abstract* **364P**

Quinlan J, Gager M, Fawcett D and **Waldmann C** Sexual dysfunction after intensive care: *abstract* **348P**
Quinn A *see* Hildyard CL **672P**
Quinn A, Dakin M, Pinder AJ and **Milner J** An audit of high dependency care for obstetric patients in the Yorkshire region: *abstract* **674P**
Quinn P *see* Convery PN **570**

Rabary O *see* Boisseau N **564**
Radermacher P *see* Calzia E **490**; Nalos M **497**
Rae CP *see* McKinlay K **358P**
Rahman MQ, Kingshott RN, Wraith P, Adams WH and **Drummond GB** Association of airway obstruction, sleep, and phasic abdominal muscle activity after upper abdominal surgery **198**
Raitt DG *see* Matthews HA **358P**
Ramsden W *see* Lumb AB **165P**
Rao M *see* Boralessa H **347P**
Raucoules-Aimé M *see* Boisseau N **564**
Ravussin P *see* Bourgain JL **870**
Rawal N Analgesia for day-case surgery **73**
Rawal N *see* Hatfield A **942**
Rechner IJ, Rees S, Kause J and **Smith GB** Two-year survival of patients referred, but not admitted, to an intensive care unit: *abstract* **333P**
Rees S *see* Rechner IJ **333P**
Remifentanil Study Group *see* Möllhoff T **718**
Renner M *see* Pühringer FK **650**
Renwick N *see* Kurian J **804**
Rex C *see* Pühringer FK **650**
Rezaiguia-Delclaux S, Streich B, Bouleau D, Delchier J-C, Dhonneur G, Meignan M and **Duvaldestin P** Pulmonary scintigraphy for diagnosis of aspiration during intravenous propofol anaesthesia for colonoscopy **204**
Rheineck Leyssius AT *see* van Klei WA **250**
Rhodes A *see* Ball JAS **359P**
Rice ASC *see* Bridges D **12**
Rickards A *see* Stephens R **306**
Ridley S *see* Garfield M **350P**; De Silva RJ **356P**; Trivedi M **355P**; Wright JC **358P**
Ridley S, Shahani A and **de Senna V** The use of classification and regression trees to explore and describe the sources of variation in length of stay patients admitted to a high dependency unit: *abstract* **354P**
Rigal JC *see* Blanloeil Y **635**
Risdall JE *see* Pambakian S **355P**
Ritchie G *see* Mostafa SM **343P**
Robin NM and **Mostafa SM** Randomized prospective double-blind placebo-controlled trial of effect of intravenous ondansetron on intraocular pressure during ophthalmic surgery **629**
Robinson APC *see* Smith PS **674P**
Robinson PN, Bhuptani S, Sebastian J, Vaughan D and **Lucas N** Are training standards for general anaesthesia in obstetrics impossible to meet?: *abstract* **673P**
Robson V, Poynter J, Lawler P and **Baudouin SV** Northern Regional Ventilator Dependency Study—does the northern region need a Regional Weaning Centre?: *abstract* **352P**
Rooney KD and **Hawksworth C** Medical referrals to the intensive care unit: is there enough consultant physician input?: *abstract* **352P**
Ross A *see* McD Neal S **658P**
Ross J *see* Hughes M **331P**
Rosser D *see* Bowen D **339P**; Bright D **366P**; Nath S **367P**
Rowan K *see* Young JD **543**

Rowbotham DJ Advances in pain: *editorial* **1**
Rowbotham DJ *see* Gregg AK **174P**; Heffernan AM **664P**
Royston D International Anesthesiology Clinics. Current Issues in Anesthesiology 2: *book review* **327**
Royston D *see* Marczin N **179**
Rubin A *see* Alwitry A **520**
Rubin J *see* Kinney MAO **447**
Rueckoldt H *see* Marx G **172P**; Cobas Mayer M **173P**
Rueffert H, Olthoff D, Deutrich C, Thamm B and **Froster UG** Homozygous and heterozygous Arg614Cys mutations (1840C→T) in the ryanodine receptor gene co-segregate with malignant hyperthermia susceptibility in a German family **240**
Rushman SC *see* Gregg AK **166P**
Russell GN *see* Agnew NM **169P**; Pennefather SH **800**
Russell IF *see* Sandin R **320**
Russell R *see* Rutter S **657P**
Russell W *see* Greer R **349P**; Parker JL **176P**
Rutten CLG *see* van Klei WA **250**
Rutter S, Barkshire K, Burry J, Shine B, Popat M and **Russell R** Effect of saline volume used to identify the epidural space during CSE anaesthesia for Caesarean section: *abstract* **657P**

Sair M *see* Macintosh ID **353P**
Sakai T Protecting anaesthetic tubing from occlusion: *correspondence* **324**
Salmon P and **Hall GM** PCA: patient-controlled analgesia or politically correct analgesia?: *editorial III* **815**
Salmon P *see* Hall GM **537**
Samra GS *see* Jackson RGM **360P**
Sanai L and **Smith I** Ondansetron after Caesarean section: *correspondence* **942**
Sandin R, Russell IF and **Wang M** Incidence of awareness in total intravenous anaesthesia: *correspondence* **320**
Santawat J *see* Suraseranivongse S **400**
Sarang K *see* Sodhi V **672P**
Saravanan PL, Simms SG, Gedney JA and **Lawler PG** Comparison of the use of human albumin solution (HAS) in the critically ill, 1998–1999: *abstract* **367P**
Sarginson RE More Case Presentations in Paediatric Anaesthesia and Intensive Care: *book review* **945**
Sarginson RE *see* Baines PB **373P**
Sarrafzadeh A *see* Wolf S **593**
Sato J *see* Tanaka A **706**
Scawn NDA *see* Agnew NM **169P**
Schackleford I *see* Kalogrianitis S **770**
Schaffartzik W *see* Hirsch J **928**
Scharbatke H *see* Obal D **905**
Scheeren TWL *see* Picker O **748**
Schlack W *see* Obal D **905**
Schmittko J *see* Marx G **172P**
Schocke M *see* Lorenz IH **691**
Scholz A *see* Markstaller K **459**
Scholz SE, Sticher J, Häufler G, Müller M, Böning O and **Hempelmann G** Combination of external chest wall oscillation with continuous positive airway pressure **441**
Schreuder JJ *see* Jansen JRC **212**
Schroeder DR *see* Kinney MAO **447**
Schuerholz T *see* Marx G **172P**; Cobas Meyer M **173P**
Schug SA *see* Wheatley RG **47**
Schulte am Esch J *see* Wappler F **794**
Schuster-Bruce MJL and **Manara AR** A randomized trial comparing cisapride and metoclopramide in patients intolerant to enteral nutrition: *abstract* **351P**
Schuster-Bruce MJL and **Manara AR** The effect of the zonal retrieval scheme on organ transplant activity: *abstract* **351P**
Schütz W *see* Meierhenrich R **711**
Scott NB *see* Absalom AR **512**
Scott S *see* McNamee DA **743**
Sear J *see* Davis L **154**
Sear JW *see* Higham HE **662P**
Sear JW, Howell SJ, Sear YM, Yeates D, Goldacre M and **Foex P** A nested case-controlled study of risk factors for perioperative cardiovascular death: *abstract* **669P**
Sear YM *see* Sear JW **669P**
Sebastian J *see* Robinson PN **673P**
Sehgal N *see* Egan A **364P**
Seifert B *see* Iselin BM **246**
Selby A *see* Baines PB **373P**
Self R *see* Shah S **365P**
Sellier E *see* Blanloeil Y **635**
Settels JJ *see* Jansen JRC **212**
Severn AM *see* Greer R **664P**
Severn AM Time to light the grey touchpaper! The challenge of anaesthesia in the elderly: *editorial* **533**
Sha M *see* Kono M **644**
Shackcloth MJ *see* Pennefather SH **800**
Shafer SL *see* Bruhn J **505**
Shah S and **Morgan P** Percutaneous tracheostomy: Ciaglia Blue Rhino *vs* the basic Ciaglia technique of percutaneous dilatation tracheostomy: *abstract* **365P**
Shah S, Grundler S, Stallard N and **Smithies MN** Critical illness polyneuropathy (CIP): *abstract* **365P**
Shah S, Self R, Findlay G and **Smithies MN** Meningococcal disease. Are there differences between the management in adults and paediatric patients?: *abstract* **365P**
Shahani A *see* Ridley S **354P**
Shaikh S *see* Möllhoff T **718**
Sharpe P *see* Gregg AK **174P**
Shelly MP Dexmedetomidine: a real innovation or more of the same?: *editorial I* **677**
Shenkin A *see* Hall GM **537**
Sherman RW *see* Wild MR **668P**
Sherry KM Cardiac Anesthesia: *book review* **652**
Sherry KM *see* Visser L **799**; Pennefather SH **800**
Shibata K *see* Itoh H **885**
Shibue C *see* Endoh H **223**
Shimoji K *see* Endoh H **223**
Shine B *see* Rutter S **657P**
Shingu K *see* Asai T **157**
Shirley PJ and **Stott SA** Clinical and organizational problems in patients transferred from the intensive care unit to other areas within the hospital for diagnostic procedures: *abstract* **346P**
Shorten G *see* Iohom G **855**
Shorten GD *see* Leonard SA **335P**
Sidaras G *see* MacKillop A **803**
Silbert B *see* Maruff P **518**
Simms SG *see* Saravanan PL **367P**
Simms SG, Gedney JA and **Clarke FL** Social deprivation and ICU admission in Middlesbrough: *abstract* **338P**
Simpson T *see* Bojanic S **364P**
Sinclair D *see* Oram MP **368P**
Sinclair ME *see* Nicholson SC **844**
Sinclair S *see* Bright D **366P**; Jones SL **337P**
Singer M *see* Corona A **336P**, Brealey DA **340P**, Corona A **374P**
Singh S and **Smith JE** The pressor responses to the three phases of nasotracheal intubation: *abstract* **656P**
Siva M *see* Hurley R **369P**
Sjöstrand F, Edsberg L and **Hahn RG** Volume kinetics of glucose solutions given by intravenous infusion **834**
Sjövall J *see* Convery PN **570**
Skellett S *see* Mayer A **354P**
Skinner HJ *see* Bedforth NM **193**
Skirrow P *see* Jones C **330P**; Jones C **342P**
Skirrow P, Jones C, Griffiths RD and **Kaney S** Factors influencing hallucinatory content in the ICU patient: *abstract* **342P**
Sly PD *see* Habre W **602**
Smith AF, Goodwin D, Mort M and **Pope C** Making explicit anaesthetic expertise: methodological consideration and subjects' perceptions: *abstract* **654P**
Smith G *BJA Concise* — a step too far: *editorial* **185**
Smith G Manage Your Pain: *book review* **808**
Smith G *see* McGill N **363P**; Ng A **159**; Ng A **663P**
Smith GB *see* Rechner IJ **333P**
Smith I Anaesthesia Databook: *book review* **525**
Smith I *see* Cherian VT **502**; Gurung AM **926/942**; Sanai L **942**
Smith JE Practical Fibreoptic Intubation: *book review* **526**
Smith JE *see* Durga VK **207**; Singh S **656P**
Smith NT *see* Jansen JRC **212**

Smith PS, Robinson APC, Wilson RC and **Lyons GR** Diagnosis of occiput-posterior position from failure of epidural analgesia in the first stage of labour: *abstract* **674P**
Smithies MN *see* Shah S **365P**
Snook NJ *see* Bellamy MC **665P**
Snowden C *see* Howell SJ **661P**
Sodhi V, Fernando R, Sarang K, Stocks GM, Oldcorne MA and **Bellis C** Local anaesthetic and opioid drug absorption within epidural filters: *abstract* **672P**
Soliman HM, Mélot C and **Vincent J-L** Sedative and analgesic practice in the intensive care unit: the results of a European survey **186**
Solly M *see* McD Neal S **658P**
Soni N *see* Boralessa H **347P**
Sonzogni V, Crupi G, Poma R, Annechino F, Ferri F, Filisetti P and **Bellavita P** Erythropoietin therapy and preoperative autologous blood donation in children undergoing open heart surgery **429**
Souter MJ *see* Millar SM **229**
Southern P *see* Bellamy MC **665P**
Spahn DR *see* Iselin BM **246**
Sperry D *see* Egan A **364P**
Spiers PS *see* Brown JJS **348P**
Spittle CSN and **Beavis SE** Do you measure tracheal cuff pressure? A survey of clinical practice: *abstract* **344P**
Spörri S *see* Immer-Bansi A **791**
Staccini P *see* Boisseau N **564**
Stahl W *see* Calzia E **490**
Stallard N *see* Shah S **365P**
Stanley IR and **Hancox D** A study of the initial management of patients with elevated intra-cranial pressure: is cerebral perfusion pressure maintained?: *abstract* **346P**
Stein DJ *see* Birnbach DJ **488**
Stenhouse C *see* Coates S **369P**
Stenhouse CW *see* Dillon KA **370P**
Stenhouse CW, Coates S, Tivey M and **Allsop P** An analysis of physiological variables in ward surgical patients being monitored using the Modified Early Warning System (MEWS) to detect developing critical illness: *abstract* **370P**
Stéphan F *see* Decailliot F **493**
Stephens R, Mythen M, Kallis P, Davies DWL, Egner W and **Rickards A** Two episodes of life-threatening anaphylaxis in the same patient to a chlorhexidine-sulphadiazine-coated central venous catheter **306**
Sterner-Kock A *see* Wolf S **593**
Stewart P *see* Jeganath V **302**
Sticher J *see* Scholz SE **441**
Stienstra R *see* Veering BT **738**
Stocker ME and **Montgomery JE** Serum paracetamol concentrations in adult volunteers following rectal administration **638**
Stocks GM *see* Sodhi V **672P**
Stoneham MD and **Warner O** Blood pressure manipulation during awake carotid surgery to reverse neurological deficit after carotid cross-clamping **641**
Stonell C *see* Thomas D **515**
Stott SA *see* Shirley PJ **346P**
Streich B *see* Rezaiguia-Delclaux S **204**
Strupish J *see* Gregg AK **166P**; Ng A **169P**
Stuart-Smith K and **Jeremy JY** Microvessel damage in acute respiratory distress syndrome: the answer may not be NO **272**
Sturrock GD *see* Allman KG **584**
Subbe CP, Krueger M and **Gemmel L** Patients at risk: validation of early warning score in medical admissions: *abstract* **359P**
Suleiman MS *see* Howell SJ **661P**; Innes RJ **362P**
Suraseranivongse S, Santawat U, Kraiprasit K, Petcharatana S, Prakkamodom S and **Muntraporn N** Cross-validation of a composite pain scale for preschool children within 24 hours of surgery **400**
Sutcliffe N *see* Absalom AR **778**
Suttner St. *see* Boldt J **435**
Suttner SW, Piper SN, Lang K, Hüttner I, Kumle B and **Boldt J** Cerebral effects and blood sparing efficiency of sodium nitroprusside-induced hypotension alone and in combination with acute normovolaemic haemodilution **699**
Suzuki Y *see* Tashiro K **266**
Swami A *see* Ng A **663P**
Swart M *see* Oram MP **368P**
Tagawa M *see* Kotake Y **774**
Takasaki Y and **Arai T** Transient right phrenic nerve palsy associated with central venous catheterization **510**
Takeda J *see* Kotake Y **774**
Tan CNH *see* Agnew NM **169P**
Tanaka A, Isono S, Sato J and **Nishino T** Effects of minor surgery and endotracheal intubation on postoperative breathing patterns in patients anaesthetized with isoflurane or sevoflurane **706**
Tashiro K, Yamada K, Konzaki T, Yamamoto K, Ohmura S, Kobayashi T and **Suzuki Y** Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**
Taylor B *see* McGill N **363P**
Taylor I, Pogson D, Johnston S, Loadsman JA and **Hillman DR** Anaesthesia and sleep apnoea: *correspondence* **153**
Taylor N *see* Baines PB **373P**
Tempest H *see* De Silva RJ **355P**
Thämer V *see* Obal D **905**
Thamm B *see* Rueffert H **240**
Thelen M *see* Markstaller K **459**
Thind G *see* Alwitry A **520**
Thomas D, Stonell C and **Hasan K** Tracheobronchopathia osteoplastica: incidental finding at tracheal intubation **515**
Thomas DG and **Mowbray P** Assessment of baseline arterial pressure before elective Caesarean section: *abstract* **168P**
Thomas DG and **Mowbray P** Comparison of thresholds for giving phenylephrine during spinal anaesthesia for Caesarean section: *abstract* **658P**
Thomas DW *see* Hughes JC **941**
Thomas R and **Jones N** Prospective randomized, double-blind comparative study of dexamethasone, ondansetron, and ondansetron plus dexamethasone as prophylactic antiemetic therapy in patients undergoing day-case gynaecological surgery **588**
Thompson J *see* Howell SJ **661P**; Ng A **169P**
Thompson JP *see* Gregg AK **166P**, Parker JL **176P**
Thompson S and **Drummond GB** Loss of volition and pain response during induction of anaesthesia with propofol or sevoflurane **283**
Thompson SWN *see* Bridges D **12**
Thornton C *see* Hunter K **655P**
Thys DM *see* Birnbach DJ **488**
Tibboel D *see* Bouwmeester NJ **390**
Tibby SM *see* Mayer A **354P**
Timberlake CM *see* Bilolikar AH **176P**
Timms MS *see* Umapathy N **322**
Tivey M *see* Coates S **369P**; Stenhouse CW **370P**
Tivey M, West M, Carr J, Coates SJ, Cunningham MJ and **Allsop P** Central venous catheter tip colonization and insertion location: *abstract* **336P**
Tomioka A *see* Kanno T **507**
Torella F, Haynes SL, Mortimer AJ and **McCollum CN** Can cerebral oxygen saturation be used a transfusion trigger?: *abstract* **165P**
Tournadre J-P *see* Allaouchiche B **280**
Townsend P, Galley HF, Carmichael RL and **Webster NR** Circulating concentrations of vascular endothelial growth factor after cardiopulmonary bypass: *abstract* **171P**
Trépanier CA, Lessard MR, Brochu J and **Turcotte G** Another feature of TURP syndrome: hyperglycaemia and lactic acidosis caused by massive absorption of sorbitol **316**
Trivedi M and **Ridley S** Hospital outcome of medical patients following intensive care: *abstract* **355P**
Tuckey JP *see* Wildsmith JAW **649**
Turcotte G *see* Trépanier CA **316**
Tweeddale M *see* McGill N **363P**

Umapathy N, Eliathamby TG and **Timms MS** Paralysis of the hypoglossal and pharyngeal branches of the vagus nerve after use of a LMA and ETT: *correspondence* **322**
Urban LA *see* Kidd BL **3**

Vacanti CA *see* Kaur S **894**
Valentine S *see* Dunsire MF **309**
Van Besouw J-P Board Stiff Too—Preparing for the Anesthesia Orals (second edition): *book review* **163**
Van Dijk M *see* Bouwmeester NJ **390**

Van Kleef JW *see* Veering BT **738**
Van Klei WA, Moons KGM, Rheineck Leyssius AT, Knape JTA, Rutten CLG and **Grobbee DE** A reduction in Type and Screen: preoperative prediction of RBC transfusions in surgery procedures with intermediate transfusion risks **250**
van Saene HKF *see* Baines PB **373P**; Mostafa SM **526**
Vangerow B *see* Marx G **172P**; Cobas Meyer M **173P**
Varma S *see* Hanna C **654P**
Vashisht R, Laurence AS, Hall JE and **Bewlay MA** Does i.v. clonidine enhance analgesia in daycase laparoscopic sterilization?: *abstract* **167P**
Vaughan D *see* Robinson PN **673P**
Vaughan DJA *see* Hunter K **655P**
Vaughan RS Pain relief after thoractomy: *editorial III* **681**
Veering BT, Immink-Speet TTM, Burm AGL, Stienstra R and **van Kleef JW** Spinal anaesthesia with 0.5% hyperbaric bupivacaine in elderly patients: effects of duration spent in sitting position **738**
Venn R Handbook of Clinical Anesthesia: *book review* **160**
Venn RM and **Grounds RM** Comparison between dexmedetomidine and propofol for sedation the intensive care unit: patient and clinician perceptions **684**
Verdon B *see* Laws D **380**
Vincelot A, Nathan N, Collet D, Mehaddi Y, Grandchamp P and **Julia A** Platelet function during pregnancy: an evaluation using the PFA-100 analyser **890**
Vincent J-L *see* Soliman HM **186**
Visser L, Martin B, Sherry KM, Lamb PJ, Hayes N, Griffin SM, Gascoigne A and **Baudouin SV** How can we improve the outcome of oesophagectomy?: *correspondence* **799**
Visser L, Mastan M, Clothier PR, Ousta B and **Deulkar U** Internal jugular venous cannulation: *correspondence* **156**
Vuyk J Total Intravenous Anaesthesia: *book review* **807**

Wachter U *see* Nalos M **497**
Walder A Trans-laryngeal tracheostomy: modification for a single operator: *abstract* **357P**
Waldmann C *see* Hames KC **372P**; Jones C **330P**; Quinlan J **348P**; Warner OJ **372P**
Walker RA and **McCarthy GJ** Serum magnesium as a predictor of intensive care unit (ICU) mortality: *abstract* **356P**
Walsh K *see* Nirmalan M **362P**
Wang J *see* Winship S **946**
Wang M *see* Sandin R **320**
Wappler F, Fiege M and **Schulte am Esch J** Pathophysiological role of the serotonin system in malignant hyperthermia **794**
Waring R *see* Bowen D **339P**
Warner MA *see* Kinney MAO **447**
Warner ME *see* Kinney MAO **447**
Warner O *see* Stoneham MD **641**
Warner OJ, Jones C and **Waldman C** A prospective audit of enteral feeding within a busy district general hospital intensive care unit in the UK: *abstract* **372P**
Warren PM *see* Nieuwenhuijs D **860**
Wasier AP *see* Labat F **935**
Watkins J Incidence of UK reactions involving rocuronium may simply reflect market use: *correspondence* **522**
Watson D *see* Boralessa H **347P**; Wheatley RG **47**
Watters M *see* Onslow J **332P**
Watts J *see* Peto Z **353P**
Webb P *see* Pulimood TB **364P**
Webster CS *see* Merry AF **291**
Webster NR Evidence-based practice in intensive care—light on the horizon?: *editorial I* **377**
Webster NR *see* Abdel-Fattah A **666P**; ElSakka NE **170P**; Engelhardt T **667P**; Townsend P **171P**; Williams AC **671P**
Weiler N *see* Markstaller K **459**
Weiss M, Hartmann K, Fischer JE and **Gerber AC** Use of angulated video-intubation laryngoscope in children undergoing manual in-line neck stabilization **453**
Wendon J *see* Harry R **338P**
Wesseling KH *see* Jansen JRC **212**
West M *see* Tivey M **336P**
Wetterslev J *see* Jørgensen H **577**; Jørgensen H **727**
Wheatley RG, Schug SA and **Watson D** Safety and efficacy of postoperative epidural analgesia **47**
White D Low Flow Anaesthesia. The Theory and Practice of Low Flow, Minimal Flow and Closed System Anaesthesia: *book review* **944**
White DC *see* Bolad N **668P**; Lockwood GG **559**
White P *see* Jones C **330P**
Whiteside JB and **Wildsmith JAW** Developments in local anaesthetic drugs **27**
Whiteside JB, Burke D and **Wildsmith JAW** Comparison of 0.5% ropivacaine (5% glucose) with 0.5% bupivacaine (8% glucose) as spinal anaesthesia for elective surgery: *abstract* **168P**
Wild MR, Sherman RW, Armory PE, Latter JA and **Mahajan RP** The effects of glyceryl trinitrate and dobutamine on cerebral haemodynamics: *abstract* **668P**
Wildsmith JAW Perioperative bradycardia: *correspondence* **806**
Wildsmith JAW *see* Whiteside JB **27**; Whiteside JB **168P**
Wildsmith JAW, Kinsella SM and **Tuckey JP** Perioperative bradycardia: *correspondence* **649**
Willard T *see* Nirmalan M **173P**; Nirmalan M **362P**
Williams AC, Galley HF and **Webster NR** The effect of moxifloxacin on release of interleukin-8 from human neutrophils: *abstract* **671P**
Williams GD *see* Kirkbride DA **166P**
Williams M *see* Nanson J **237**
Williams OA *see* Matthews HA **358P**
Willimann PFX *see* Iselin BM **246**
Willis S *see* Greer R **664P**
Wilson IH *see* Allman KG **584**
Wilson MJ The comparative obstetric mobile epidural trial (C.O.M.E.T.). A randomized controlled trial: pain relief: *abstract* **659P**
Wilson P *see* Corona A **336P**; Corona A **374P**
Wilson RC *see* Smith PS **674P**
Winkler M *see* Marx G **172P**
Winship S and **Wang J** Intensive Care in New Zealand. A history of the New Zealand Region of ANZICS: *book review* **946**
Wolf S, Lohbrunner H, Busch T, Sterner-Kock A, Deja M, Sarrafzadeh A, Neumann U and **Kaisers U** Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**
Wong MMS *see* Ngan Kee WD **772**
Woodward DK *see* Critchley LAH **499**
Wraith P *see* Rahman MQ **198**
Wright JC, Plenderleith L and **Ridley SA** Long-term survival after intensive care—subgroup analysis and comparison with the general population: *abstract* **358P**

Xu P, Laurent G and **Bellingan G** Blocking integrin function with RGD peptides delays the clearance of macrophages from a murine model of peritonitis: *abstract* **334P**

Yahagi N *see* Kono M **644**
Yamada K *see* Kanno T **507**; Tashiro K **266**
Yamamoto K *see* Tashiro K **266**
Yao L, Kato R and **Foëx P** Isoflurane-induced protection against myocardial stunning is independent of adenosine 1 (A_1) receptor in isolated rat heart **258**
Yeates D *see* Sear JW **669P**
Yokoyama K *see* Ishikawa S **469**
Yoshikawa D *see* Kanno T **507**
Young D *see* Heneghan C **155**
Young JD, Goldfrad C and **Rowan K** Development and testing of a hierarchical method to code the reason for admission to intensive care units: the ICNARC Coding Method **543**
Young Y *see* Bellamy MC **665P**

Zalunardo MP *see* Iselin BM **246**
Zschiegner F *see* Lorenz IH **691**

British Journal of Anaesthesia **86 (6)**: 960–73 (2001)

VOLUME 87 • SUBJECT INDEX

acid–base equilibrium, active sodium transport, Inhibition of active sodium absorption leads to a net liquid secretion into *in vivo* rabbit lung at two levels of alveolar hypoxia **897**
acid–base equilibrium, metabolic acidosis, Underestimation of the anion gap because of hypoalbuminaemia: *abstract* **354P**
adults, Meningococcal disease. Are there differences between the management in adults and paediatric patients?: *abstract* **365P**
Serum paracetamol concentrations in adult volunteers following rectal administration **638**
aerosols, Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**
age factors, Changes of haemostasis in patients undergoing major abdominal surgery—is there a difference between elderly and younger patients? **435**
Induction of anaesthesia in the elderly day-case patient: double-blind comparison of propofol and sevoflurane: *abstract* **166P**
Long-term consequences of repeated pentobarbital anaesthesia on choice reaction time performance in ageing rats **781**
Minimizing perioperative adverse events in the elderly **608**
Spinal anaesthesia with 0.5% hyperbaric bupivacaine in elderly patients: effect of duration spent in the sitting position **738**
Time to light the grey touchpaper! The challenge of anaesthesia in the elderly: *editorial II* **533**
airway, pressure, Combination of external chest wall oscillation with continuous positive airway pressure **441**
allergy, Anaphylaxis during anaesthesia. Results of a two-year survey in France **549**
Two episodes of life-threatening anaphylaxis in the same patient to a chlorhexidine-sulphadiazine-coated central venous catheter **306**
allergy, anaphylaxis, Anaphylactic reactions due to chlorhexidine allergy: *correspondence* **940**
Rocuronium: high risk for anaphylaxis?: *correspondence* **805**
allergy, sensitization, Mechanisms of inflammatory pain **3**
anaesthesia, Evaluation of early extubation after liver transplantation: *abstract* **665P**
Learning during surgery: *abstract* **654P**
Minimizing perioperative adverse events in the elderly **608**
Perioperative bradycardia: *correspondence* **649**
Perioperative bradycardia: *correspondence* **806**
anaesthesia, audit, A reduction in Type and Screen: preoperative prediction of RBC transfusions in surgery procedures with intermediate transfusion risks **250**
Fatty acid amides are putative endogenous ligands for anaesthetic recognition sites in mammalian CNS: *editorial II* **380**
Impact of the implementation of a guideline for sedation in the intensive care unit: *abstract* **364P**
Measuring the costs of inhaled anaesthetics **559**
anaesthesia audit, post-anaesthesia care unit, Predictive factors of early morphine requirements in the post-anaesthesia care unit (PACU) **385**
anaesthesia, cardiovascular, Haemodynamic effects of three doses of dihydroergotamine during spinal anaesthesia **499**
anaesthesia, competence, Making explicit anaesthetic expertise: methodological consideration and subjects' perceptions: *abstract* **654P**
anaesthesia, depth, Incidence of awareness in total intravenous anaesthesia: *correspondence* **320**
Ocular microtremor (OMT): a tool for measuring depth of anaesthesia?: *abstract* **364P**
anaesthesia, depth, conscious awareness, Quantitative EEG changes associated with loss and return of consciousness in healthy adult volunteers anaesthetized with propofol or sevoflurane **421**
anaesthesia, general, Cancellation of hypertensive patients: *correspondence* **803**
Central noradrenergic neurones and the mechanism of general anaesthesia: *editorial I* **811**
Effect of sustained lung inflation on pulmonary atelectasis during general anaesthesia in paediatric oncology patients: *abstract* **165P**
Effects of the auditory stimuli of an auditory evoked potential system on levels of consciousness, and on the bispectral index **778**
Primary pulmonary hypertension in pregnancy: a role for novel vasodilators **295**
Unnecessary emergency Caesarean section due to silent CTG during anaesthesia? **791**
Volume kinetics of Ringer's solution during induction of spinal and general anaesthesia **406**
anaesthesia, geriatric, Time to light the grey touchpaper! The challenge of anaesthesia in the elderly: *editorial II* **533**
anaesthesia, obstetric, An audit of high dependency care for obstetric patients in the Yorkshire region: *abstract* **674P**
Are training standards for general anaesthesia in obstetrics impossible to meet?: *abstract* **673P**
Assessment of baseline arterial pressure before elective Caesarean section: *abstract* **168P**
Cyclizine reduces the incidence of nausea and vomiting after elective Caesarean section with intrathecal diamorphine: *abstract* **672P**
Diagnosis of occiput-posterior position from failure of epidural analgesia in the first stage of labour: *abstract* **674P**
Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**
Ondansetron after Caesarean section: *correspondence* **942**
Primary pulmonary hypertension in pregnancy: a role for novel vasodilators **295**
Prophylactic ondansetron does not improve patient satisfaction in women using PCA after Caesarean section **502**
Randomized controlled study of colloid preload before spinal anaesthesia for Caesarean section **772**
The comparative obstetric mobile epidural trial (C.O.M.E.T.). A randomized controlled trial: pain relief: *abstract* **659P**
Use of pre-emptive vasopressors for spinal anaesthesia-induced hypotension during Caesarean section: *correspondence* **320**
anaesthesia, ophthalmological, Evaluation of the Greenbaum sub-Tenon's block **631**
anaesthesia, paediatric, Accuracy of the Paedfusor—a new propofol target-controlled infusion system for children: *abstract* **175P**
Effect of sustained lung inflation on pulmonary atelectasis during general anaesthesia in paediatric oncology patients: *abstract* **165P**
Erythropoietin therapy and preoperative autologous blood donation in children undergoing open heart surgery **429**
anaesthesia, regional, Effect of postoperative analgesia on surgical outcome **62**
anaesthesia, simulation, Assessment instruments used during anaesthetic simulation: *correspondence* **647**
anaesthesia, subarachnoid, Volume kinetics of Ringer's solution during induction of spinal and general anaesthesia **406**
anaesthesia, written consent, Written consent for anaesthesia: anaesthetists' and patients' views: *abstract* **176P**
anaesthetic management, The Montgomery T-tube: anaesthetic problems and solutions **787**
anaesthetic techniques, cervical plexus block, Spread of injectate with superficial cervical plexus block in the cadaver: *abstract* **665P**
anaesthetic techniques, combined spinal-epidural, Intrathecal ropivacaine or bupivacaine with fentanyl for labour **733**
anaesthetic techniques, epidural, A comparison of 0.0625% ropivacaine or bupivacaine combined with fentanyl 2 $\mu g\,ml^{-1}$ administered by patient-controlled epidural analgesia in labour: *abstract* **658P**
A survey of the use of epidural analgesia in general intensive care units in England: *abstract* **341P**
Effect of epidural bupivacaine *vs* combined epidural bupivacaine and morphine on gastrointestinal function and pain after major gynaecological surgery **727**
Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**
Effect of saline volume used to identify the epidural space during CSE anaesthesia for Caesarean section: *abstract* **657P**
Epidural analgesia in a child with sickle cell disease complicated by acute abdominal pain and priapism **935**
Epidural catheter associated duritis: *correspondence* **321**

© The Board of Management and Trustees of the British Journal of Anaesthesia

Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**

Spinal cord injury caused by direct damage by local anaesthetic infiltration needle **512**

The comparative obstetric mobile epidural trial (C.O.M.E.T.). A randomized controlled trial: pain relief: *abstract* **659P**

Touch contamination levels during anaesthetic procedures and their relationship to hand hygiene procedures: a clinical audit **291**

When is it safe to site an epidural in patients on high dose enoxaparin?: *abstract* **663P**

anaesthetic techniques, extubation, Comparison between dexmedetomidine and propofol for sedation in the intensive care unit: patient and clinician perceptions **684**

Dexmedetomidine: a real innovation or more of the same?: *editorial* **/ 677**

anaesthetic techniques, general, Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**

anaesthetic techniques, i.v., Accuracy of the Paedfusor—a new propofol target-controlled infusion system for children: *abstract* **175P**

Interaction of i.v. anaesthetic induction agents with recombinant human m1–m3 muscarinic receptors expressed in Chinese hamster ovary cells: *abstract* **671P**

Loss of volition and pain response during induction of anaesthesia with propofol or sevoflurane **283**

Touch contamination levels during anaesthetic procedures and their relationship to hand hygiene procedures: a clinical audit **291**

anaesthetic techniques, induction, Does end-tidal carbon dioxide affect speed of induction of anaesthesia with propofol?: *abstract* **670P**

Influence of nitrous oxide on induction of anaesthesia with sevoflurane **286**

Preoxygenation: a comparison of three different breathing systems **928**

Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**

Arterial and mixed venous xenon blood concentrations in pigs during wash-in of inhalational anaesthesia **497**

Effects of minor surgery and endotracheal intubation on postoperative breathing patterns in patients anaesthetized with isoflurane or sevoflurane **706**

Influence of nitrous oxide on induction of anaesthesia with sevoflurane **286**

Inhalation anaesthetics increase heart rate by decreasing cardiac vagal activity in dogs **748**

Loss of volition and pain response during induction of anaesthesia with propofol or sevoflurane **283**

Postoperative changes in visual evoked potentials and cognitive function tests following sevoflurane anaesthesia **855**

Propofol and halothane *vs* sevoflurane in paediatric day case surgery: induction characteristics and recovery time: *abstract* **667P**

Viscosity and density of common anaesthetic gases: implications for flow measurements **602**

anaesthetic techniques, rectal, Serum paracetamol concentrations in adult volunteers following rectal administration **638**

anaesthetic techniques, regional, Haemodynamic effects of three doses of dihydroergotamine during spinal anaesthesia **499**

Intrathecal ropivacaine for total hip arthroplasty: double-blind comparative study with isobaric 7.5 mg ml^{-1} and 10 mg ml^{-1} solutions **743**

Sub-Tenon's anaesthesia—the local anaesthetic technique of choice for eye surgery?: *correspondence* **520**

anaesthetic techniques, regional, cervical plexus block, Blood pressure manipulation during awake carotid surgery to reverse neurological deficit after carotid cross-clamping **641**

anaesthetic techniques, regional, Greenbaum sub-Tenon's block, Evaluation of the Greenbaum sub-Tenon's block **631**

anaesthetic techniques, regional, intra-articular, Efficacy and uptake of ropivacaine and bupivacaine after single intra-articular injection in the knee joint **570**

anaesthetic techniques, regional, obturator nerve block, The effect of obturator nerve block on chronic hip pain: *abstract* **664P**

anaesthetic techniques, regional, paravertebral, Ipsilateral thoracolumbar anaesthesia and paravertebral spread after low thoracic paravertebral injection **312**

anaesthetic techniques, regional, peribulbar, Comparison of articaine and bupivacaine/lidocaine for single medial canthus peribulbar anaesthesia **584**

anaesthetic techniques, regional, suprascapular nerve block, Suprascapular nerve block for ipsilateral shoulder pain after thoracotomy with epidural analgesia: double-blind comparison of 0.5% bupivacaine and saline: *abstract* **169P**

anaesthetic techniques, subarachnoid, Comparison of 0.5% ropivacaine (5% glucose) with 0.5% bupivacaine (8% glucose) as spinal anaesthesia for elective surgery: *abstract* **168P**

Comparison of thresholds for giving phenylephrine during spinal anaesthesia for Caesarean section: *abstract* **658P**

Effect of saline volume used to identify the epidural space during CSE anaesthesia for Caesarean section: *abstract* **657P**

Haemodynamic effects of three doses of dihydroergotamine during spinal anaesthesia **499**

Intrathecal ropivacaine for total hip arthroplasty: double-blind comparative study with isobaric 7.5 mg ml^{-1} and 10 mg ml^{-1} solutions **743**

Randomized controlled study of colloid preload before spinal anaesthesia for Caesarean section **772**

Spinal anaesthesia with 0.5% hyperbaric bupivacaine in elderly patients: effect of duration spent in the sitting position **738**

Use of pre-emptive vasopressors for spinal anaesthesia-induced hypotension during Caesarean section: *correspondence* **320**

anaesthetic techniques, video-assisted endoscopy, Use of angulated video-intubation laryngoscope in children undergoing manual in-line neck stabilization **453**

anaesthetic–analgesic regimens, Sedation of ventilated patients in intensive care—a national survey: *abstract* **358P**

anaesthetics gases, nitrous oxide, Diffusion of nitrous oxide into the pleural cavity **894**

Influence of equianaesthetic concentrations of nitrous oxide and isoflurane on regional cerebral blood flow, regional cerebral blood volume, and regional mean transit time in human volunteers **691**

Influence of nitrous oxide on induction of anaesthesia with sevoflurane **286**

anaesthetics gases, xenon, Arterial and mixed venous xenon blood concentrations in pigs during wash-in of inhalational anaesthesia **497**

anaesthetics i.v., ketamine, The effect of propofol and ketamine on phosphodiesterase activity: *abstract* **667P**

anaesthetics i.v., propofol, Clinically relevant concentrations of propofol for *in vitro* studies: *abstract* **655P**

Comparative efficacy and safety of remifentanil and fentanyl in 'fast track' coronary artery bypass graft surgery: a randomized, double-blind study **718**

Incidence of awareness in total intravenous anaesthesia: *correspondence* **320**

Induction of anaesthesia in the elderly day-case patient: double-blind comparison of propofol and sevoflurane: *abstract* **166P**

Loss of volition and pain response during induction of anaesthesia with propofol or sevoflurane **283**

Pulmonary scintigraphy for diagnosis of aspiration during intravenous propofol anaesthesia for colonoscopy **204**

Quantitative EEG changes associated with loss and return of consciousness in healthy adult volunteers anaesthetized with propofol or sevoflurane **421**

The effect of propofol and ketamine on phosphodiesterase activity: *abstract* **667P**

anaesthetics local, Developments in local anaesthetic drugs **27**

Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**

anaesthetics local, articaine, Comparison of articaine and bupivacaine/lidocaine for single medial canthus peribulbar anaesthesia **584**

anaesthetics local, bupivacaine, A comparison of 0.0625% ropivacaine or bupivacaine combined with fentanyl 2 μg ml^{-1} administered by patient-controlled epidural analgesia in labour: *abstract* **658P**

Comparison of 0.5% ropivacaine (5% glucose) with 0.5% bupivacaine (8% glucose) as spinal anaesthesia for elective surgery: *abstract* **168P**

Effect of epidural bupivacaine *vs* combined epidural bupivacaine and morphine on gastrointestinal function and pain after major gynaecological surgery **727**

Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**

Efficacy and uptake of ropivacaine and bupivacaine after single intra-articular injection in the knee joint **570**

Intrathecal ropivacaine or bupivacaine with fentanyl for labour **733**

Spinal anaesthesia with 0.5% hyperbaric bupivacaine in elderly patients: effect of duration spent in the sitting position **738**
anaesthetics local, cocaine, Effect of cocaine and lidocaine on beat frequency of human nasal cilia: *abstract* **169P**
anaesthetics local, lidocaine, Effect of cocaine and lidocaine on beat frequency of human nasal cilia: *abstract* **169P**
Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**
Evaluation of the Greenbaum sub-Tenon's block **631**
anaesthetics local, ropivacaine, A comparison of 0.0625% ropivacaine or bupivacaine combined with fentanyl 2 μg ml^{-1} administered by patient-controlled epidural analgesia in labour: *abstract* **658P**
Comparison of 0.5% ropivacaine (5% glucose) with 0.5% bupivacaine (8% glucose) as spinal anaesthesia for elective surgery: *abstract* **168P**
Efficacy and uptake of ropivacaine and bupivacaine after single intra-articular injection in the knee joint **570**
Grand mal convulsion and plasma concentrations after intravascular injection of ropivacaine for axillary brachial plexus blockade **784**
Intrathecal ropivacaine for total hip arthroplasty: double-blind comparative study with isobaric 7.5 mg ml^{-1} and 10 mg ml^{-1} solutions **743**
Intrathecal ropivacaine or bupivacaine with fentanyl for labour **733**
anaesthetics volatile, desflurane, Effects of desflurane on cerebral autoregulation **193**
Influence of sepsis on minimum alveolar concentration of desflurane in a porcine model **280**
Measuring the costs of inhaled anaesthetics **559**
anaesthetics volatile, halothane, Clinical experience with the use of sub-anaesthetic doses of halothane in spontaneously ventilating patients with acute severe asthma to avoid ventilation: *abstract* **345P**
Propofol and halothane *vs* sevoflurane in paediatric day case surgery: induction characteristics and recovery time: *abstract* **667P**
Influence of equianaesthetic concentrations of nitrous oxide and isoflurane on regional cerebral blood flow, regional cerebral blood volume, and regional mean transit time in human volunteers **691**
anaesthetics volatile, isoflurane, Isoflurane-induced protection against myocardial stunning is independent of adenosine 1 (A_1) receptor in isolated rate heart **258**
Measuring the costs of inhaled anaesthetics **559**
anaesthetics volatile, sevoflurane, Asystole during anaesthetic induction with remifentanil and sevoflurane: *correspondence* **943**
Attempting to estimate the rate of perfusion of the cerebral site of action of sevoflurane: *abstract* **668P**
Induction of anaesthesia in the elderly day-case patient: double-blind comparison of propofol and sevoflurane: *abstract* **166P**
Influence of nitrous oxide on induction of anaesthesia with sevoflurane **286**
Loss of volition and pain response during induction of anaesthesia with propofol or sevoflurane **283**
Measuring the costs of inhaled anaesthetics **559**
One MAC of sevoflurane provides protection against reperfusion injury in the rat heart *in vivo* **905**
Postoperative changes in visual evoked potentials and cognitive function tests following sevoflurane anaesthesia **855**
Propofol and halothane *vs* sevoflurane in paediatric day case surgery: induction characteristics and recovery time: *abstract* **667P**
Quantitative EEG changes associated with loss and return of consciousness in healthy adult volunteers anaesthetized with propofol or sevoflurane **421**
analgesia, Sedation and analgesia—which way is best?: *editorial II* **183**
Sedative and analgesic practice in the intensive care unit: the results of a European survey **186**
analgesia, efficacy, Safety and efficacy of patient-controlled analgesia **36**
analgesia, night-time infusion, Comparison of patient-controlled epidural analgesia with and without night-time infusion following gastrectomy **633**
analgesia, obstetric, Intrathecal ropivacaine or bupivacaine with fentanyl for labour **733**
Patient-controlled analgesia for labour using remifentanil: a feasibility study **415**
Predictors of dissatisfaction with epidural analgesia during labour: *abstract* **659P**
analgesia, patient-controlled, Comparison of patient-controlled epidural analgesia with and without night-time infusion following gastrectomy **633**
Effect of postoperative analgesia on surgical outcome **62**
Ondansetron after Caesarean section: *correspondence* **942**
Patient-controlled analgesia for labour using remifentanil: a feasibility study **415**
PCA: patient-controlled analgesia or politically correct analgesia?: *editorial II* **815**
Prophylactic ondansetron does not improve patient satisfaction in women using PCA after Caesarean section **502**
Safety and efficacy of patient-controlled analgesia **36**
analgesia, postoperative, Analgesia for day-case surgery **73**
Comparison of patient-controlled epidural analgesia with and without night-time infusion following gastrectomy **633**
Effect of transcervical papaverine and bupivacaine on postoperative analgesia after laparoscopic application of filshie clips: *abstract* **663P**
Hormonal and metabolic stress responses after major surgery in children aged 0–3 years: a double-blind, randomized trial comparing the effects of continuous versus intermittent morphine **390**
Numbness a greater problem than pain?: *correspondence* **942**
Postoperative analgesia by epidural methylprednisolone after posterolateral thoracotomy **635**
analgesic techniques, epidural, Postoperative analgesia by epidural methylprednisolone after posterolateral thoracotomy **635**
Predictors of dissatisfaction with epidural analgesia during labour: *abstract* **659P**
analgesics anti-inflammatory, steroid, Postoperative analgesia by epidural methylprednisolone after posterolateral thoracotomy **635**
analgesics non-opioid, paracetamol, Serum paracetamol concentrations in adult volunteers following rectal administration **638**
analgesics opioid, Chronic opioid therapy for non-cancer pain **133**
Comparison between dexmedetomidine and propofol for sedation in the intensive care unit: patient and clinician perceptions **684**
Dexmedetomidine: a real innovation or more of the same?: *editorial I* **677**
analgesics opioid, fentanyl, Comparative efficacy and safety of remifentanil and fentanyl in 'fast track' coronary artery bypass graft surgery: a randomized, double-blind study **718**
analgesics opioid, morphine, Hormonal and metabolic stress responses after major surgery in children aged 0–3 years: a double-blind, randomized trial comparing the effects of continuous versus intermittent morphine **390**
Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**
Intensive Care Society sedation procedure with morphine and midazolam as sedative agents reduces drug budget in intensive care without altering patient outcome: *abstract* **332P**
Predictive factors of early morphine requirements in the post-anaesthesia care unit (PACU) **385**
Prophylaxis of nausea and vomiting after spinal morphine analgesia for Caesarean section: comparison between cyclizine, dexamethasone, and placebo: *abstract* **657P**
analgesics opioid, remifentanil, Asystole during anaesthetic induction with remifentanil and sevoflurane: *correspondence* **943**
Comparative efficacy and safety of remifentanil and fentanyl in 'fast track' coronary artery bypass graft surgery: a randomized, double-blind study **718**
Effects of remifentanil on plasma catecholamine response to laryngoscopy and endotracheal intubation: *abstract* **166P**
No clinical evidence of acute opioid tolerance after remifentanil-based anaesthesia **866**
Patient-controlled analgesia for labour using remifentanil: a feasibility study **415**
analgesics opioid, tolerance, No clinical evidence of acute opioid tolerance after remifentanil-based anaesthesia **866**
analgesics opioid, tramadol, Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers **860**
anatomy, Spread of injectate with superficial cervical plexus block in the cadaver: *abstract* **665P**
anatomy, endothoracic, retroperitoneal, paravertebral space, Ipsilateral thoraco-lumbar anaesthesia and paravertebral spread after low thoracic paravertebral injection **312**
antibiotics, moxifloxacin, The effect of moxifloxacin on release of interleukin-8 from human neutrophils: *abstract* **671P**
antibiotics, resistance, Emergence of antimicrobial resistance in a paediatric intensive care unit: *abstract* **373P**

anticonvulsant, gabapentin, Analgesic effect of gabapentin premedication in laparoscopic cholecystectomy: a randomized double-blind placebo-controlled trial: *abstract* **174P**
antifibrotic agent, ADCON-L anti-adhesion gel, ADCON-L and hypotension during lumbar microdiscectomy **770**
arterial pressure, A comparison of cardiac output derived from the arterial pressure wave against thermodilution in cardiac surgery patients **212**
Assessment of baseline arterial pressure before elective Caesarean section: *abstract* **168P**
arterial pressure, control, Blood pressure manipulation during awake carotid surgery to reverse neurological deficit after carotid cross-clamping **641**
arterial pressure, controlled hypotension, Cerebral effects and blood sparing efficiency of sodium nitroprusside-induced hypotension alone and in combination with acute normovolaemic haemodilution **699**
arterial pressure, primary pulmonary hypertension, Primary pulmonary hypertension in pregnancy; a role for novel vasodilators **295**

blood, acute normovolaemic haemodilution, Cerebral effects and blood sparing efficiency of sodium nitroprusside-induced hypotension alone and in combination with acute normovolaemic haemodilution **699**
blood, anticoagulants, Activation of inflammatory cascades during haemodiafiltration using Duraflo® heparin coated circuits: *abstract* **338P**
Prophylaxis against thromboembolism in patients with traumatic brain injury: a survey of UK practice: *abstract* **344P**
blood, anticoagulants, heparin, Contamination of coagulation tests with heparin from blood gas samples **628**
Heparin pretreatment does not alter heparin requirements during cardiopulmonary bypass **844**
blood, antithrombin, Heparin pretreatment does not alter heparin requirements during cardiopulmonary bypass **844**
blood, autologous, Erythropoietin therapy and preoperative autologous blood donation in children undergoing open heart surgery **429**
blood, blood gases, Contamination of coagulation tests with heparin from blood gas samples **628**
blood, capillary leak syndrome, Terminal complement complex in porcine septic shock with capillary leak syndrome: *abstract* **172P**
blood, coagulation, Isolated reduction of haematocrit does not compromise *in vitro* blood coagulation **246**
blood, coagulation tests, Contamination of coagulation tests with heparin from blood gas samples **628**
blood, coagulation, enoxaparin, When is it safe to site an epidural in patients on high dose enoxaparin?: *abstract* **663P**
blood, endothelial cells, regeneration, Circulating endothelial progenitor cells in human sepsis: *abstract* **333P**
blood, erythrocytes, hypochromasia, Interleukin-10 and tumour necrosis factor α concentrations and red cell hypochromasia in critical illness: *abstract* **170P**
blood, erythropoietin, Erythropoietin therapy and preoperative autologous blood donation in children undergoing open heart surgery **429**
blood, flow, cerebral, Effects of desflurane on cerebral autoregulation **193**
blood, haematocrit, Isolated reduction of haematocrit does not compromise *in vitro* blood coagulation **246**
blood, haemodilution, Isolated reduction of haematocrit does not compromise *in vitro* blood coagulation **246**
Volume kinetics of glucose solutions given by intravenous infusion **834**
blood, haemodynamics, Effects of portal triad clamping on haemodynamic conditions during laparoscopic liver resection **493**
Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**
blood, haemofiltration, Activation of inflammatory cascades during haemodiafiltration using Duraflo® heparin coated circuits: *abstract* **338P**
blood, haemoglobin, National 1-day survey of haemoglobin in Scottish Intensive Care Units (ICUs): *abstract* **345P**
Volume kinetics of glucose solutions given by intravenous infusion **834**
blood, haemostasis, Changes of haemostasis in patients undergoing major abdominal surgery—is there a difference between elderly and younger patients? **435**
blood, lactic acid, Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
blood, plasma, catecholamines, Effects of remifentanil on plasma catecholamine response to laryngoscopy and endotracheal intubation: *abstract* **166P**
blood, platelets, Platelet function during pregnancy: an evaluation using the PFA-100 analyser **890**
blood, platelets, function, Changes of haemostasis in patients undergoing major abdominal surgery—is there a difference between elderly and younger patients? **435**
blood, platelets, thrombocytosis, Thrombocytosis in intensive care **926**
blood, protein S-100, Cerebral effects and blood sparing efficiency of sodium nitroprusside-induced hypotension alone and in combination with acute normovolaemic haemodilution **699**
blood, salvage, Autologous transfusion in total knee replacement surgery: *correspondence* **941**
blood, sampling, Cost implications of blood sampling on an intensive care unit: *abstract* **353P**
blood, sickle cell disease, Epidural analgesia in a child with sickle cell disease complicated by acute abdominal pain and priapism **935**
blood, thrombocytopenia, Thrombelastograph® and laboratory markers of thrombophilia: *abstract* **662P**
blood, transfusion, A reduction in Type and Screen: preoperative prediction of RBC transfusions in surgery procedures with intermediate transfusion risks **250**
Blood and component use in intensive care: *abstract* **347P**
Isolated reduction of haematocrit does not compromise *in vitro* blood coagulation **246**
blood, volume, Haemodynamic monitoring in a combined trauma-hypovolaemic shock model: *abstract* **362P**
Intrathoracic blood volume reflects circulatory volume status in patients with ARDS in the prone position: *abstract* **361P**
book reviews, *A Practice of Anesthesia for Infants and Children* **159**
Advanced Paediatric Life Support: The Practical Approach **327**
Anaesthesia Databook **525**
Awareness during Anesthesia **325**
Board Stiff Too—Preparing for the Anesthesia Orals **163**
Brain Death **809**
Cardiac Anesthesia **652**
Clinical Anesthesia **159**
Conscious Sedation **162**
Critical Care Focus 5. Antibiotic Resistance and Infection Control **526**
Critical Care Focus 6. Cardiology in Critical Illness **653**
Critical Notes for the FRCA **808**
Handbook of Clinical Anesthesia **160**
Intensive Care in New Zealand. A History of the New Zealand Region of ANZICS **946**
International Anesthesiology Clinics: Current Issues in Anesthesiology **327**
Key Topics in Accident and Emergency Medicine **161**
Key Topics in Anaesthesia—Clinical Aspects **160**
Low Flow Anaesthesia. The Theory and Practice of Low Flow, Minimal Flow and Closed System Anaesthesia **944**
Manage Your Pain **808**
More Case Presentations in Paediatric Anaesthesia and Intensive Care **945**
Notes in Neuroanaesthesia and Critical Care **326**
Pain Imaging **325**
Perioperative Medicine **161**
Pharmacology of the Critically Ill **807**
Principles of Physiology for the Anaesthetist **525**
Practical Fibreoptic Intubation **526**
Problems in Anesthesia Series. Airway Management **328**
Resuscitation in Pregnancy: A Practical Approach **946**
The Complete Recovery Room Book **652**
Total Intravenous Anaesthesia **807**
Tumescent Local Anaesthesia **162**
brain, Attempting to estimate the rate of perfusion of the cerebral site of action of sevoflurane: *abstract* **668P**
brain, blood flow, The effects of glyceryl trinitrate and dobutamine on cerebral haemodynamics: *abstract* **668P**
brain, blood flow, regional mean transit time, Influence of equianaesthetic concentrations of nitrous oxide and isoflurane on regional

cerebral blood flow, regional cerebral blood volume, and regional mean transit time in human volunteers **691**
brain, blood volume, Influence of equianaesthetic concentrations of nitrous oxide and isoflurane on regional cerebral blood flow, regional cerebral blood volume, and regional mean transit time in human volunteers **691**
brain, cerebral autoregulation, Effects of desflurane on cerebral autoregulation **193**
brain, cerebral oximetry, Can cerebral oxygen saturation be used as a transfusion trigger?: *abstract* **165P**
brain, cerebral oxygenation, Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
brain, evoked responses, Effect of intubation with and without opioids on the subcortical somatosensory evoked response: *abstract* **655P**
brain, injury, Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass **223**
Prophylaxis against thromboembolism in patients with traumatic brain injury: a survey of UK practice: *abstract* **344P**
brain, intracranial pressure, A study of the initial management of patients with elevated intra-cranial pressure: is cerebral perfusion pressure maintained?: *abstract* **346P**
brain, ischaemia, Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass **223**
brain, neurometrics, Quantitative EEG changes associated with loss and return of consciousness in healthy adult volunteers anaesthetized with propofol or sevoflurane **421**
brain, noradrenergic neurones, Central noradrenergic neurones and the mechanism of general anaesthesia: *editorial I* **811**
brain, synaptic signalling, Modulation of synaptic activity in mammalian neurones by the sleep hormone *cis*-9, 10-octadecenoamide: *abstract* **171P**

cancer, carcinoma, Acute phase response (interleukin 6 and complement-1 inhibitor) to surgery in patients with oropharyngeal carcinoma: *abstract* **173P**
carbon dioxide, Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
cardiovascular system, effects, Safety of oral nicorandil before coronary artery bypass graft surgery **848**
CD reviews, *A-ware: Study Edition. Multilingual Simulation Software for Anaesthesiology* **527**
Central Line and Arterial Line Insertion **528**
The Electronic Anesthesiology Library 1996–2000 **944**
children, Meningococcal disease. Are there differences between the management in adults and paediatric patients?: *abstract* **365P**
Outcome of children treated in a district general hospital intensive care unit: an assessment of performance using two different scoring systems: *abstract* **363P**
children, preschool, Cross-validation of a composite pain scale for preschool children within 24 hours of surgery **400**
cognition, Long-term consequences of repeated pentobarbital anaesthesia on choice reaction time performance in ageing rats **781**
coil embolization, Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
colloids, gelatin, Randomized controlled study of colloid preload before spinal anaesthesia for Caesarean section **772**
complications, Air flow resistance of three heat and moisture exchanging filter designs under wet conditions: implications for patient safety **289**
Comparison between dexmedetomidine and propofol for sedation in the intensive care unit: patient and clinician perceptions **684**
Dexmedetomidine: a real innovation or more of the same?: *editorial I* **677**
Minimizing perioperative adverse events in the elderly **608**
Transtracheal high frequency jet ventilation for endoscopic airway surgery: a multicentre study **870**
complications, acute respiratory distress syndrome, A prospective, observational study of ARDS in a cohort of patients in Scottish Intensive Care Units: *abstract* **331P**
Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**
Duration of prone positioning in acute respiratory distress syndrome: *abstract* **361P**
How can we improve the outcome of oesophagectomy?: *correspondence* **799**
Intrathoracic blood volume reflects circulatory volume status in patients with ARDS in the prone position: *abstract* **361P**
Microvessel damage in acute respiratory distress syndrome: the answer may not be NO **272**
Nitric oxide as mediator, marker and modulator of microvascular damage in ARDS: *editorial I* **179**
Perioperative risk factors for acute lung injury following elective oesophagectomy: *correspondence* **800**
complications, airway obstruction, An unusual case of airway obstruction: *correspondence* **804**
complications, anaphylaxis, Anaphylactic reactions due to chlorhexidine allergy: *correspondence* **940**
Incidence of UK reactions involving rocuronium may simply reflect market use: *correspondence* **522**
Two episodes of life-threatening anaphylaxis in the same patient to a chlorhexidine-sulphadiazine-coated central venous catheter **306**
complications, asystole, Asystole during anaesthetic induction with remifentanil and sevoflurane: *correspondence* **943**
complications, atelectasis, Effect of sustained lung inflation on pulmonary atelectasis during general anaesthesia in paediatric oncology patients: *abstract* **165P**
complications, autonomic dysfunction, Tetanus: a review of the literature **477**
complications, bacteraemia, Source, type, and resistance patterns of nosocomial bacteraemia in a teaching hospital ICU: a 6-month prospective audit: *abstract* **336P**
complications, Bezold-Jarisch reflex, Perioperative bradycardia: *correspondence* **649**
complications, cancer, Perianaesthetic risks and outcomes of abdominal surgery for metastatic carcinoid tumours **447**
complications, cardiac arrest, Perioperative bradycardia: *correspondence* **649**
Perioperative bradycardia: *correspondence* **806**
Profile of serum protein S-100B release after cardiac arrest: preliminary data: *abstract* **360P**
complications, cardiac tamponade, Central venous catheterization and fatal cardiac tamponade **298**
Delayed diagnosis of cardiac tamponade following isolated blunt abdominal trauma **309**
complications, cardiovascular response, The pressor responses to the three phases of nasotracheal intubation: *abstract* **656P**
complications, chlorhexidine allergy, Anaphylactic reactions due to chlorhexidine allergy: *correspondence* **940**
Two episodes of life-threatening anaphylaxis in the same patient to a chlorhexidine-sulphadiazine-coated central venous catheter **306**
complications, cognitive impairment, Cognitive decline following cardiac surgery: *correspondence* **518**
complications, constipation, Constipation and its implications in the critically ill patient: a national survey of United Kingdom intensive care units: *abstract* **343P**
complications, convulsions, Grand mal convulsion and plasma concentrations after intravascular injection of ropivacaine for axillary brachial plexus blockade **784**
complications, death, Hospital outcome of medical patients following intensive care: *abstract* **355P**
Tetanus: a review of the literature **477**
complications, depression, Cognitive decline following cardiac surgery: *correspondence* **518**
complications, dural puncture, Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**
complications, dural puncture headache, Dural puncture and subsequent blood patches in the obstetric population: *abstract* **673P**
complications, elevated bone turnover, Elevated bone turnover in hypercalcaemic and normocalcaemic critically ill patients: *abstract* **335P**
complications, epidural blood patch, Dural puncture and subsequent blood patches in the obstetric population: *abstract* **673P**
complications, epidural haematoma, Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**
complications, fetal distress, Unnecessary emergency Caesarean section due to silent CTG during anaesthesia? **791**

complications, fetal position, Diagnosis of occiput-posterior position from failure of epidural analgesia in the first stage of labour: *abstract* **674P**
complications, gastroparesis, A randomized trial comparing cisapride and metoclopramide in patients intolerant to enteral nutrition: *abstract* **351P**
complications, haemorrhage, Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
complications, hemidiaphragmatic elevation, Transient right phrenic nerve palsy associated with central venous catheterization **510**
complications, hydrothorax, Hydrothorax: an unexpected complication after laparoscopic myomectomy **507**
complications, hypertension, Cancellation of hypertensive patients: *correspondence* **803**
complications, hypotension, ADCON-L and hypotension during lumbar microdiscectomy **770**
Randomized controlled study of colloid preload before spinal anaesthesia for Caesarean section **772**
complications, hypoxaemia, How can we improve the outcome of oesophagectomy?: *correspondence* **799**
Hydrothorax: an unexpected complication after laparoscopic myomectomy **507**
Perioperative risk factors for acute lung injury following elective oesophagectomy: *correspondence* **800**
complications, hypoxia, Inhibition of active sodium absorption leads to a net liquid secretion into *in vivo* rabbit lung at two levels of alveolar hypoxia **897**
complications, infections, Catheter related sepsis in critically ill patients on parenteral nutrition: *abstract* **362P**
complications, J-tip guide wire entrapment, Internal jugular venous cannulation: *correspondence* **156**
complications, lactic acidosis, Another feature of TURP syndrome: hyperglycaemia and lactic acidosis caused by massive absorption of sorbitol **316**
complications, malignant hyperthermia, Homozygous and heterozygous Arg614Cys mutations (1840C→T) in the ryanodine receptor gene cosegregate with malignant hyperthermia susceptibility in a German family **240**
Pathophysiological role of the serotonin system in malignant hyperthermia **793**
complications, methaemoglobinaemia, Diagnostic confusion caused by dapsone-induced methaemoglobinaemia: *correspondence* **802**
complications, modified early warning system, An analysis of physiological variables in ward surgical patients being monitored using the Modified Early Warning System (MEWS) to detect developing critical illness: *abstract* **370P**
The modified early warning system: implementation in a district general hospital: *abstract* **369P**
complications, morbidity, Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**
complications, mortality, Comparative mortality in anaesthesia: *editorial II* **813**
complications, multi-organ failure, Measurement of trans-diaphragmatic pressure in ventilated critically ill patients with multi-organ failure by phrenic nerve stimulation and balloon manometry, and its relationship to ventilator independence: *abstract* **330P**
complications, myasthenia gravis, Difference in sensitivity to vecuronium between patients with ocular and generalized myasthenia gravis **885**
Undiagnosed myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **650**
complications, myocardial infarction, Cardiac troponin I and CK-MB as indicators of myocardial injury after major vascular surgery: *abstract* **362P**
complications, myocardial injury, Subclinical perioperative myocardial injury in patients undergoing major vascular surgery: *abstract* **661P**
complications, nausea and vomiting, Prophylaxis of nausea and vomiting after spinal morphine analgesia for Caesarean section: comparison between cyclizine, dexamethasone, and placebo: *abstract* **657P**
complications, neurofibromatosis, Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**
complications, neurological, Epidural haematoma after dural puncture in a parturient with neurofibromatosis **932**
Use of angulated video-intubation laryngoscope in children undergoing manual in-line neck stabilization **453**
complications, noise, Excessive noise pollution in the Paediatric Intensive Care Unit: *abstract* **331P**
complications, obesity, Combination of external chest wall oscillation with continuous positive airway pressure **441**
complications, oxygenation deterioration, Changes in oxygenation after percutaneous tracheostomy: *abstract* **368P**
complications, perioperative arterial pressure, Cancellation of hypertensive patients: *correspondence* **803**
complications, perioperative death, A nested case-controlled study of risk factors for perioperative cardiovascular death: *abstract* **669P**
complications, phrenic nerve palsy, Transient right phrenic nerve palsy associated with central venous catheterization **510**
complications, pneumoperitoneum, Effects of portal triad clamping on haemodynamic conditions during laparoscopic liver resection **493**
complications, polyneuropathy, Critical illness polyneuropathy (CIP): *abstract* **365P**
complications, polysubstance abuse, Identification of polysubstance abuse in the parturient **488**
complications, postoperative morbidity, Effect of postoperative analgesia on surgical outcome **62**
complications, postoperative respiratory failure, How can we improve the outcome of oesophagectomy?: *correspondence* **799**
Perioperative risk factors for acute lung injury following elective oesophagectomy: *correspondence* **800**
complications, pre-eclampsia, Platelet function during pregnancy: an evaluation using the PFA-100 analyser **890**
complications, priapism, Epidural analgesia in a child with sickle cell disease complicated by acute abdominal pain and priapism **935**
complications, pulmonary, Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**
complications, pulmonary gas embolism, Cardiac arrest associated with use of an argon beam coagulator during laparoscopic cholecystectomy **644**
complications, pulmonary oedema, Inhibition of active sodium absorption leads to a net liquid secretion into *in vivo* rabbit lung at two levels of alveolar hypoxia **897**
complications, renal damage, Methylprednisolone administration reduces renal proximal tubular injury during cardiac surgery: *abstract* **669P**
The effect of methylprednisolone on urinary N-acetyl-β-D-glucosaminidase/creatinine ratios in porcine vascular surgery: *abstract* **661P**
complications, renal failure, Outcome of patients who receive renal replacement therapy in the intensive care unit: *abstract* **332P**
complications, sepsis syndrome, S100β—a marker for septic encephalopathy?: *abstract* **335P**
complications, sepsis, Evidence based practice in intensive care—light on the horizon?: *editorial I* **377**
Mitochondrial inhibition is associated with the severity of human septic shock: *abstract* **340P**
Neutrophil CXC chemokine receptor expression in sepsis: *abstract* **334P**
Sepsis and multi-organ failure does not affect mitochondrial complex I activity: *abstract* **339P**
Septic shock and mitochondrial dysfunction: *abstract* **340P**
complications, sexual dysfunction, Sexual dysfunction after intensive care: *abstract* **348P**
complications, smoking, Smoking cessation post-critical illness is aided by a self-help rehabilitation programme: *abstract* **342P**
complications, spinal cord trauma, Spinal cord injury caused by direct damage by local anaesthetic infiltration needle **512**
complications, stress, Pathophysiological role of the serotonin system in malignant hyperthermia **793**
complications, subarachnoid haemorrhage, Subarachnoid haemorrhage affects QT interval length and QT dispersion: *abstract* **373P**
complications, syncope, Perioperative bradycardia: *correspondence* **649**
Perioperative bradycardia: *correspondence* **806**
complications, tachycardia, ADCON-L and hypotension during lumbar microdiscectomy **770**
complications, thrombocytopenia, Platelet function during pregnancy: an evaluation using the PFA-100 analyser **890**
complications, thromboembolism, Evolution of cerebral ischaemia induced by thromboembolism in rats detected by early sequential MR imaging **469**

Prophylaxis against thromboembolism in patients with traumatic brain injury: a survey of UK practice: *abstract* **344P**
complications, thymoma, Undiagnosed myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **650**
complications, tracheal damage, Do you measure tracheal cuff pressure? A survey of clinical practice: *abstract* **344P**
complications, tracheal intubation, Tracheobronchopathia osteoplastica: incidental finding at tracheal intubation **515**
complications, trauma, Haemodynamic monitoring in a combined trauma-hypovolaemic shock model: *abstract* **362P**
Pilot of tool for assessing quality of life experienced by survivors of multiple trauma requiring intensive care: *abstract* **337P**
complications, trigeminal neuralgia, Trigeminal neuralgia—pathophysiology, diagnosis and current treatment **117**
complications, TURP syndrome, Another feature of TURP syndrome: hyperglycaemia and lactic acidosis caused by massive absorption of sorbitol **316**
complications, vascular inflammation, Microvessel damage in acute respiratory distress syndrome: the answer may not be NO **272**
Nitric oxide as mediator, marker and modulator of microvascular damage in ARDS: *editorial I* **179**
complications, vasoconstriction, Haemodynamic effects of three doses of dihydroergotamine during spinal anaesthesia **499**
critical care, An analysis of physiological variables in ward surgical patients being monitored using the Modified Early Warning System (MEWS) to detect developing critical illness: *abstract* **370P**
Long-term survival after intensive care—subgroup analysis and comparison with the general population: *abstract* **358P**
The modified early warning system: implementation in a district general hospital: *abstract* **369P**

donors, organ transplantation, The effect of the zonal retrieval scheme on organ transplant activity: *abstract* **351P**

education, Are training standards for general anaesthesia in obstetrics impossible to meet?: *abstract* **673P**
The use of an adapted anaesthetic simulator for the training of intensive care nurses: *abstract* **368P**
education, continuing, Brain stem death tests and training in intensive care medicine: *abstract* **343P**
education, simulation of anaesthesia, Assessment instruments used during anaesthetic simulation: *correspondence* **647**
enzymes, alcohol dehydrogenase, Subclinical hepatic dysfunction in laparoscopic cholecystectomy and laparoscopic colectomy **774**
enzymes, creatine kinase, Cardiac troponin I and CK-MB as indicators of myocardial injury after major vascular surgery: *abstract* **362P**
enzymes, glutathione S-transferase, Subclinical hepatic dysfunction in laparoscopic cholecystectomy and laparoscopic colectomy **774**
enzymes, manganese superoxide dismutase, Polymorphism of the manganese superoxide dismutase gene *SOD2*: *abstract* **170P**
enzymes, neuron-specific enolase, Cerebral effects and blood sparing efficiency of sodium nitroprusside-induced hypotension alone and in combination with acute normovolaemic haemodilution **699**
enzymes, phosphodiesterases, The effect of propofol and ketamine on phosphodiesterase activity: *abstract* **667P**
equipment, airway, laryngeal mask airway use for prolonged middle ear surgery: *correspondence* **323**
equipment, anaesthesia machines, Protecting anaesthetic tubing from occlusion: *correspondence* **324**
equipment, argon beam coagulator, Cardiac arrest associated with use of an argon beam coagulator during laparoscopic cholecystectomy **644**
equipment, arthroscope, Efficacy and uptake of ropivacaine and bupivacaine after single intra-articular injection in the knee joint **570**
equipment, bacterial filters, Air flow resistance of three heat and moisture exchanging filter designs under wet conditions: implications for patient safety **289**
equipment, blood-gas monitors, Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass **223**
equipment, catheters, Catheter related sepsis in critically ill patients on parenteral nutrition: *abstract* **362P**
equipment, catheters central venous, Anaphylactic reactions due to chlorhexidine allergy: *correspondence* **940**
Transient right phrenic nerve palsy associated with central venous catheterization **510**
Two episodes of life-threatening anaphylaxis in the same patient to a chlorhexidine-sulphadiazine-coated central venous catheter **306**
equipment, catheters epidural, Epidural catheter associated duritis: *correspondence* **321**
equipment, catheters haemodialysis, Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
equipment, computer-based simulator, The use of an adapted anaesthetic simulator for the training of intensive care nurses: *abstract* **368P**
equipment, cuffs tracheal, Do you measure tracheal cuff pressure? A survey of clinical practice: *abstract* **344P**
equipment, epidural filter membrane, Local anaesthetic and opioid drug absorption with epidural filters: *abstract* **672P**
equipment, fibreoptic laryngoscope, Manoeuvres used to clear the airway during fibreoptic intubation **207**
equipment, flowmeters, Comparison of two methods for measuring tidal volumes in patients mechanically ventilated with helium–oxygen mixtures: *abstract* **359P**
equipment, force transducer, Difference in sensitivity to vecuronium between patients with ocular and generalized myasthenia gravis **885**
equipment, heat and moisture exchangers, Air flow resistance of three heat and moisture exchanging filter designs under wet conditions: implications for patient safety **289**
equipment, humidifiers, A comparison of the active heat and moisture exchanging filter with a hot water bath humidifier and a standard heat and moisture exchanging filter: *abstract* **364P**
equipment, laryngoscopes, Use of angulated video-intubation laryngoscope in children undergoing manual in-line neck stabilization **453**
equipment, malfunction, Safety and efficacy of patient-controlled analgesia **36**
equipment, masks anaesthesia, Is it safe to artificially ventilate a paralysed patient through a laryngeal mask?: *correspondence* **803**
Preoxygenation: a comparison of three different breathing systems **928**
equipment, Montgomery T-tube, The Montgomery T-tube: anaesthetic problems and solutions **787**
equipment, nebulizers, Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**
equipment, neuromuscular monitor, Neuromuscular monitoring in intensive care patients: milliamperage requirements for supramaximal stimulation **625**
equipment, pulmonary vasodilators, Primary pulmonary hypertension in pregnancy: a role for novel vasodilators **295**
equipment, safety, Monitoring medical devices: the need for new evaluation methodology: *editorial II* **678**
equipment, sterilization, Touch contamination levels during anaesthetic procedures and their relationship to hand hygiene procedures: a clinical audit **291**
equipment, Thrombelastograph®, Thrombelastograph® and laboratory markers of thrombophilia: *abstract* **662P**
equipment, tubes tracheal, Paralysis of the hypoglossal and pharyngeal branches of the vagus nerve after use of a LMA and ETT: *correspondence* **322**
Tracheal tube pressure change during magnetic stimulation of the phrenic nerves as an indicator of diaphragm strength on the intensive care unit **876**
equipment, tubes tracheostomy, Changes in oxygenation after percutaneous tracheostomy: *abstract* **368P**
Percutaneous tracheostomy: Ciaglia Blue Rhino *vs* the basic Ciaglia technique of percutaneous dilatation tracheostomy: *abstract* **365P**
Trans-laryngeal tracheostomy: modification for a single operator: *abstract* **357P**
eye, intra-ocular pressure, Randomized prospective double-blind placebo-controlled trial of effect of intravenous ondansetron on intraocular pressure during ophthalmic surgery **629**

fluids, i.v., Volume kinetics of glucose solutions given by intravenous infusion **834**
fluids, i.v., Ringer's solution, Volume kinetics of Ringer's solution during induction of spinal and general anaesthesia **406**

gastrointestinal tract, oesophagus, Investigation into the use of a new oesophageal pulse oximeter in cardiothoracic surgery patients: *abstract* **660P**
genetic factors, Polymorphism of the manganese superoxide dismutase gene *SOD2*: *abstract* **170P**
genetic factors, malignant hyperthermia, Homozygous and heterozygous Arg614Cys mutations (1840C→T) in the ryanodine receptor gene co-segregate with malignant hyperthermia susceptibility in a German family **240**

heart, arrhythmia, bradycardia, Perioperative bradycardia: *correspondence* **649**
Perioperative bradycardia: *correspondence* **806**
heart, cardiac output, A comparison of cardiac output derived from the arterial pressure wave against thermodilution in cardiac surgery patients **212**
Inhalation anaesthetics increase heart rate by decreasing cardiac vagal activity in dogs **748**
heart, cardioventilatory coupling, Cardioventilatory coupling in heart rate variability: the value of standard analytical techniques **819**
Cardioventilatory coupling in heart rate variability: methods for qualitative and quantitative determination **827**
heart, catheterization, Central venous catheter tip colonization and insertion location: *abstract* **336P**
heart, defibrillation, Do physiological changes in pregnancy change defibrillation energy requirements? **237**
heart, defibrillation, early, Successful defibrillation in the prone position **937**
heart, heart rate, Cardioventilatory coupling in heart rate variability: the value of standard analytical techniques **819**
Cardioventilatory coupling in heart rate variability: methods for qualitative and quantitative determination **827**
heart, myocardial function, Safety of oral nicorandil before coronary artery bypass graft surgery **848**
heart, reperfusion injury, One MAC of sevoflurane provides protection against reperfusion injury in the rat heart *in vivo* **905**
heart, right heart catheterization, Right heart catheterization in intensive care: *correspondence* **155**
heart, right heart dynamics, Use of multi-plane transoesophageal echocardiography in visualization of the main hepatic veins and acquisition of Doppler sonography curves. Comparison with the transabdominal approach **711**
heart, stunning, Isoflurane-induced protection against myocardial stunning is independent of adenosine 1 (A_1) receptor in isolated rate heart **258**
heart, ventricular fibrillation, Successful defibrillation in the prone position **937**
high dependency, A comparison of four time periods over which to audit the number of high dependency unit (HDU) beds required: *abstract* **341P**
An audit of high dependency care for obstetric patients in the Yorkshire region: *abstract* **674P**
Assessing the requirement for high dependency unit beds: *abstract* **358P**
Northern Regional Ventilator Dependency Study—does the northern region need a Regional Weaning Centre?: *abstract* **352P**
Sequential organ scoring as a measure of effectiveness of care in the high dependency unit: *abstract* **356P**
hormones, antidiuretic, vasopressin, Renal dysfunction following anaesthesia and surgery: *correspondence* **648**
hormones, cortisol, Measuring the outcome of surgical procedures: what are the challenges?: *editorial I* **531**
Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses **537**
hormones, oleamide, Modulation of synaptic activity in mammalian neurones by the sleep hormone *cis*-9, 10-octadecenoamide: *abstract* **171P**
Oleamide: a putative endogenous ligand for anaesthetic receptor sites: *abstract* **172P**
hormones, serotonin, Pathophysiological role of the serotonin system in malignant hyperthermia **793**
humans, Influence of equianaesthetic concentrations of nitrous oxide and isoflurane on regional cerebral blood flow, regional cerebral blood volume, and regional mean transit time in human volunteers **691**
hypnotics benzodiazepine, midazolam, Intensive Care Society sedation procedure with morphine and midazolam as sedative agents reduces drug budget in intensive care without altering patient outcome: *abstract* **332P**

immune response, acute phase response, Acute phase response (interleukin 6 and complement-1 inhibitor) to surgery in patients with oropharyngeal carcinoma: *abstract* **173P**
immune response, complement membrane attack complex, Terminal complement complex in porcine septic shock with capillary leak syndrome: *abstract* **172P**
immune response, interleukin-13, Interleukin 13 and inflammatory markers in human sepsis: *abstract* **666P**
immune response, interleukin-8, The effect of moxifloxacin on release of interleukin-8 from human neutrophils: *abstract* **671P**
immune response, macrophage, Blocking integrin function with RGD peptides delays the clearance of macrophages from a murine model of peritonitis: *abstract* **334P**
infection, bacteraemia, Incidence of bacteraemia, severity of illness and outcome: a 6-month prospective audit: *abstract* **374P**
Influence of sepsis on minimum alveolar concentration of desflurane in a porcine model **280**
infection, bacteria, Meningococcal disease. Are there differences between the management in adults and paediatric patients?: *abstract* **365P**
Prevalence of *Helicobacter pylori* among intensive care unit nurses: *abstract* **348P**
infection, bacterial contamination, Touch contamination levels during anaesthetic procedures and their relationship to hand hygiene procedures: a clinical audit **291**
infection, fungaemia, Incidence of bacteraemia, severity of illness and outcome: a 6-month prospective audit: *abstract* **374P**
infection, purpura fulminans, Management of purpura fulminans: *correspondence* **650**
infection, sepsis, Interleukin 13 and inflammatory markers in human sepsis: *abstract* **666P**
infection, tetanus, Tetanus: a review of the literature **477**
intensive care, Biochemical predictors of outcome from intensive care: *abstract* **666P**
Central venous catheter tip colonization and insertion location: *abstract* **336P**
Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
Development and testing of a hierarchical method to code the reason for admission to intensive care units: the ICNARC Coding Method **543**
Do you measure tracheal cuff pressure? A survey of clinical practice: *abstract* **344P**
Evidence based practice in intensive care—light on the horizon?: *editorial I* **377**
Hospital outcome of medical patients following intensive care: *abstract* **355P**
Interleukin-10 and tumour necrosis factor α concentrations and red cell hypochromasia in critical illness: *abstract* **170P**
Long-term survival after intensive care—subgroup analysis and comparison with the general population: *abstract* **358P**
Neuromuscular monitoring in intensive care patients: milliamperage requirements for supramaximal stimulation **625**
Right heart catheterization in intensive care: *correspondence* **155**
Sedation and analgesia—which way is best?: *editorial II* **183**
Sedation of ventilated patients in intensive care—a national survey: *abstract* **358P**
Sedative and analgesic practice in the intensive care unit: the results of a European survey **186**
The effect of neuromuscular block on oxygen consumption in patients with high oxygen requirements undergoing mechanical ventilation: *abstract* **349P**
Tracheal tube pressure change during magnetic stimulation of the phrenic nerves as an indicator of diaphragm strength on the intensive care unit **876**
intensive care, admissions, Social deprivation and ICU admission in Middlesbrough: *abstract* **338P**
Assessment of the seasonal variation in admission rates to intensive care units: *abstract* **350P**

intensive care, audit, A survey of the use of epidural analgesia in general intensive care units in England: *abstract* **341P**
Brain stem death tests and training in intensive care medicine: *abstract* **343P**
Clinical and organizational problems in patients transferred from the intensive care unit to other areas within the hospital for diagnostic procedures: *abstract* **346P**
Constipation and its implications in the critically ill patient: a national survey of United Kingdom intensive care units: *abstract* **343P**
Cost implications of blood sampling on an intensive care unit: *abstract* **353P**
Evaluation of APACHE II data collection in two Leicester Critical Care Units: *abstract* **347P**
Factors influencing hallucinatory content in the ICU patient: *abstract* **342P**
Inaccuracy in reported ICU beds availability—the 'hidden' intensive care: *abstract* **339P**
Intensive Care Society sedation procedure with morphine and midazolam as sedative agents reduces drug budget in intensive care without altering patient outcome: *abstract* **332P**
Introduction of a critical care outreach team improves ward-based nurses confidence in dealing with specific support therapies: *abstract* **366P**
National 1-day survey of haemoglobin in Scottish Intensive Care Units (ICUs): *abstract* **345P**
Pilot of tool for assessing quality of life experienced by survivors of multiple trauma requiring intensive care: *abstract* **337P**
Pilot study of a nurse led critical care outreach service: *abstract* **366P**
Sexual dysfunction after intensive care: *abstract* **348P**
Social deprivation and ICU admission in Middlesbrough: *abstract* **338P**
Source, type, and resistance patterns of nosocomial bacteraemia in a teaching hospital ICU: a 6-month prospective audit: *abstract* **336P**
The application of a simple scoring system to audit the changes in practice and success of veno-venous haemofiltration within the intensive care unit of a district general hospital over 3 yr—a comparison of the predictive value of this scoring system with APACHE II: *abstract* **353P**
Two-year survival of patients referred, but not admitted, to an intensive care unit: *abstract* **333P**
intensive care, bereavement, Bereavement follow-up in intensive care: *abstract* **370P**
intensive care, enteral feeding, A prospective audit of enteral feeding within a busy district general hospital intensive care unit in the UK: *abstract* **372P**
intensive care, follow up, Patient satisfaction with specialist ICU follow-up: *abstract* **372P**
intensive care, infections, Emergence of antimicrobial resistance in a paediatric intensive care unit: *abstract* **373P**
intensive care, management, Tetanus: a review of the literature **477**
intensive care, medical referrals, Medical referrals to the intensive care unit: is there enough consultant physician input?: *abstract* **352P**
intensive care, mortality, Serum magnesium as a predictor of intensive care unit (ICU) mortality: *abstract* **356P**
Thrombocytosis in intensive care **926**
intensive care, occupancy, Inaccuracy in reported ICU beds availability—the 'hidden' intensive care: *abstract* **339P**
intensive care, outcome, Outcome of children treated in a district general hospital intensive care unit: an assessment of performance using two different scoring systems: *abstract* **363P**
Outcome of patients who receive renal replacement therapy in the intensive care unit: *abstract* **332P**
intensive care, paediatric, Emergence of antimicrobial resistance in a paediatric intensive care unit: *abstract* **373P**
Excessive noise pollution in the Paediatric Intensive Care Unit: *abstract* **331P**
intensive care, re-admission, Outcome of patients who require re-admission to the Intensive Care Unit: *abstract* **349P**
intensive care, sedation, postoperative, Comparison between dexmedetomidine and propofol for sedation in the intensive care unit: patient and clinician perceptions **684**
Dexmedetomidine: a real innovation or more of the same?: *editorial I* **677**
intubation nasotracheal, The pressor responses to the three phases of nasotracheal intubation: *abstract* **656P**
intubation tracheal, difficult, Use of angulated video-intubation laryngoscope in children undergoing manual in-line neck stabilization **453**
intubation tracheal, gum-elastic bougie, Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
intubation tracheal, responses, Effect of intubation with and without opioids on the subcortical somatosensory evoked response: *abstract* **655P**
intubation tracheal, technique, Manoeuvres used to clear the airway during fibreoptic intubation **207**
intubation, nasotracheal, complications, Use of the laryngeal tube for nasotracheal intubation: *correspondence* **157**
ions, magnesium, Is the measurement of total magnesium obsolete?: *abstract* **371P**
Serum magnesium as a predictor of intensive care unit (ICU) mortality: *abstract* **356P**

kinetics, Volume kinetics of Ringer's solution during induction of spinal and general anaesthesia **406**

larynx, laryngoscopy, Transtracheal high frequency jet ventilation for endoscopic airway surgery: a multicentre study **870**
literature review, Safety and efficacy of postoperative epidural analgesia **47**
liver, blood flow, Use of multi-plane transoesophageal echocardiography in visualization of the main hepatic veins and acquisition of Doppler sonography curves. Comparison with the transabdominal approach **711**
liver, hepatic perfusion, Use of multi-plane transoesophageal echocardiography in visualization of the main hepatic veins and acquisition of Doppler sonography curves. Comparison with the transabdominal approach **711**
liver, transplantation, Evaluation of early extubation after liver transplantation: *abstract* **665P**
lung, acute injury, Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**
lung, alveolus, Geodesic planes to facilitate the extension of alveolar liquid/air interfaces: *correspondence* **519**
lung, atelectasis, Effect of sustained lung inflation on pulmonary atelectasis during general anaesthesia in paediatric oncology patients: *abstract* **165P**
lung, function, Effect of shock and controlled fluid resuscitation on extravascular lung water content in a combined trauma-hypovolaemic shock model: *abstract* **173P**
lung, gas exchange, Combination of external chest wall oscillation with continuous positive airway pressure **441**
Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**
lung, lavage, Temporal dynamics of lung aeration determined by dynamic CT in a porcine model of ARDS **459**
lung, physiology, Geodesic planes to facilitate the extension of alveolar liquid/air interfaces: *correspondence* **519**
lung, pneumothorax, Diffusion of nitrous oxide into the pleural cavity **894**
lung, pulmonary aspiration, Pulmonary scintigraphy for diagnosis of aspiration during intravenous propofol anaesthesia for colonoscopy **204**
lung, pulmonary time constants, Temporal dynamics of lung aeration determined by dynamic CT in a porcine model of ARDS **459**
lung, surfactant, Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**
Geodesic planes to facilitate the extension of alveolar liquid/air interfaces: *correspondence* **519**
Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**
lung, trachea, A comparison of the active heat and moisture exchanging filter with a hot water bath humidifier and a standard heat and moisture exchanging filter: *abstract* **364P**
lung, tracheobronchopathia osteoplastica, Tracheobronchopathia osteoplastica: incidental finding at tracheal intubation **515**

lung, water, Effect of shock and controlled fluid resuscitation on extravascular lung water content in a combined trauma-hypovolaemic shock model: *abstract* **173P**

measurement techniques, auditory evoked potential, Effects of the auditory stimuli of an auditory evoked potential system on levels of consciousness, and on the bispectral index **778**
measurement techniques, diffusion-weighted imaging, Evolution of cerebral ischaemia induced by thromboembolism in rats detected by early sequential MR imaging **469**
measurement techniques, Doppler echocardiography, Use of multi-plane transoesophageal echocardiography in visualization of the main hepatic veins and acquisition of Doppler sonography curves. Comparison with the transabdominal approach **711**
measurement techniques, Doppler ultrasound, Bench study of the changes in estimated perfusion pressure and zero-flow pressure as assessed using Doppler ultrasonography: *abstract* **174P**
Effects of desflurane on cerebral autoregulation **193**
Non-invasive estimation of cerebral perfusion pressure and zero-flow pressure in healthy volunteers; effects of changes in carbon dioxide: *abstract* **175P**
measurement techniques, dynamic computed tomography, Temporal dynamics of lung aeration determined by dynamic CT in a porcine model of ARDS **459**
measurement techniques, gastric tonometry, Tonometry-guided therapy: an algorithm-testing pilot study: *abstract* **369P**
measurement techniques, logistic organ dysfunction system, Sequential organ scoring as a measure of effectiveness of care in the high dependency unit: *abstract* **356P**
measurement techniques, magnetic resonance imaging, Evolution of cerebral ischaemia induced by thromboembolism in rats detected by early sequential MR imaging **469**
measurement techniques, neuromuscular block, Undiagnosed myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **650**
measurement techniques, ocular microtremor, Ocular microtremor (OMT): a tool for measuring depth of anaesthesia?: *abstract* **364P**
measurement techniques, oximetry, arteriovenous, Continuous arteriovenous oximetry as a measure of perfusion during hypothermic cardiopulmonary bypass: *abstract* **660P**
measurement techniques, oximetry, Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
measurement techniques, pneumotachography, Viscosity and density of common anaesthetic gases: implications for flow measurements **602**
measurement techniques, pulse oximetry, Investigation into the use of a new oesophageal pulse oximeter in cardiothoracic surgery patients: *abstract* **660P**
measurement techniques, scintigraphy, Pulmonary scintigraphy for diagnosis of aspiration during intravenous propofol anaesthesia for colonoscopy **204**
measurement techniques, thermodilution, A comparison of cardiac output derived from the arterial pressure wave against thermodilution in cardiac surgery patients **212**
measurement techniques, transthoracic impedance, Do physiological changes in pregnancy change defibrillation energy requirements? **237**
measurement techniques, ultrasound, Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
memory, Learning during surgery: *abstract* **654P**
metabolism, glucose, Volume kinetics of glucose solutions given by intravenous infusion **834**
metabolism, inositol polyphosphates, Pathophysiological role of the serotonin system in malignant hyperthermia **793**
metabolism, lipid, Fatty acid amides are putative endogenous ligands for anaesthetic recognition sites in mammalian CNS: *editorial II* **380**
metabolism, mitochondria, Mitochondrial inhibition is associated with the severity of human septic shock: *abstract* **340P**
Sepsis and multi-organ failure does not affect mitochondrial complex I activity: *abstract* **339P**
Septic shock and mitochondrial dysfunction: *abstract* **340P**
model, animal, Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**
model, computer simulation, A comparison of cardiac output derived from the arterial pressure wave against thermodilution in cardiac surgery patients **212**
model, *in vitro* validation, Clinically relevant concentrations of propofol for *in vitro* studies: *abstract* **655P**
model, rat, Isoflurane-induced protection against myocardial stunning is independent of adenosine 1 (A_1) receptor in isolated rate heart **258**
model, transfusion prediction, A reduction in Type and Screen: preoperative prediction of RBC transfusions in surgery procedures with intermediate transfusion risks **250**
monitoring, bispectral index, Effects of the auditory stimuli of an auditory evoked potential system on levels of consciousness, and on the bispectral index **778**
monitoring, cardiopulmonary, Comparison between dexmedetomidine and propofol for sedation in the intensive care unit: patient and clinician perceptions **684**
Dexmedetomidine: a real innovation or more of the same?: *editorial I* **677**
monitoring, cardiotocography, Unnecessary emergency Caesarean section due to silent CTG during anaesthesia? **791**
monitoring, central venous pressure, Comparison of external jugular and central venous pressures in mechanically ventilated patients on the intensive care unit: *abstract* **176P**
monitoring, cerebral perfusion pressure, Non-invasive estimation of cerebral perfusion pressure and zero-flow pressure in healthy volunteers; effects of changes in carbon dioxide: *abstract* **175P**
monitoring, depth of anaesthesia, Onset of propofol-induced burst suppression may be correctly detected as deepening of anaesthesia by approximate entropy but not by bispectral index **505**
monitoring, electrocardiography, Subarachnoid haemorrhage affects QT interval length and QT dispersion: *abstract* **373P**
monitoring, intracranial pressure, An audit of the use of intracranial pressure (ICP) monitoring in a district general hospital ICU: *abstract* **357P**
monitoring, jugular venous gas tension, Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass **223**
monitoring, neuromuscular function, supramaximal stimulus, Neuromuscular monitoring in intensive care patients: milliamperage requirements for supramaximal stimulation **625**
monitoring, pulse wave velocity, Bench study of the changes in estimated perfusion pressure and zero-flow pressure as assessed using Doppler ultrasonography: *abstract* **174P**
monitoring, quantitative EEG, Quantitative EEG changes associated with loss and return of consciousness in healthy adult volunteers anaesthetized with propofol or sevoflurane **421**
monitoring, subcutaneous tissue gas tensions, Use of multiparameter tissue gas monitoring probes in children with meningococcal sepsis: *abstract* **353P**
monitoring, transoesophageal echocardiography, Delayed diagnosis of cardiac tamponade following isolated blunt abdominal trauma **309**
Use of multi-plane transoesophageal echocardiography in visualization of the main hepatic veins and acquisition of Doppler sonography curves. Comparison with the transabdominal approach **711**
monitoring, transthoracic echocardiography, Delayed diagnosis of cardiac tamponade following isolated blunt abdominal trauma **309**
monitoring, ventilation, Comparison of two methods for measuring tidal volumes in patients mechanically ventilated with helium–oxygen mixtures: *abstract* **359P**
monitoring, visual evoked potentials, Postoperative changes in visual evoked potentials and cognitive function tests following sevoflurane anaesthesia **855**
monitoring, zero-flow pressure, Bench study of the changes in estimated perfusion pressure and zero-flow pressure as assessed using Doppler ultrasonography: *abstract* **174P**
muscle skeletal, diaphragm, Tracheal tube pressure change during magnetic stimulation of the phrenic nerves as an indicator of diaphragm strength on the intensive care unit **876**
muscle skeletal, *in vitro* contracture test, Homozygous and heterozygous Arg614Cys mutations (1840C→T) in the ryanodine receptor gene co-segregate with malignant hyperthermia susceptibility in a German family **240**
myopia, Sub-Tenon's anaesthesia—the local anaesthetic technique of choice for eye surgery?: *correspondence* **520**

nerve, vagus, Paralysis of the hypoglossal and pharyngeal branches of the vagus nerve after use of a LMA and ETT: *correspondence* **322**
neuromuscular block, allergy, Anaphylaxis during anaesthesia. Results of a two-year survey in France **549**
neuromuscular block, aminosteroids, The new neuromuscular blocking agents: do they offer any advantages? **912**
neuromuscular block, atracurium, The effect of neuromuscular block on oxygen consumption in patients with high oxygen requirements undergoing mechanical ventilation: *abstract* **349P**
neuromuscular block, benzylisoquinoliniums, The new neuromuscular blocking agents: do they offer any advantages? **912**
neuromuscular block, muscle relaxants, Structure, conformation, and action of neuromuscular blocking drugs **755**
neuromuscular block, Osserman classification, Difference in sensitivity to vecuronium between patients with ocular and generalized myasthenia gravis **885**
neuromuscular block, rocuronium, Incidence of UK reactions involving rocuronium may simply reflect market use: *correspondence* **522**
Rocuronium: high risk for anaphylaxis?: *correspondence* **805**
neuromuscular block, structure–activity relationship, Structure, conformation, and action of neuromuscular blocking drugs **755**
neuromuscular block, succinylcholine, Are fade and sustained post-tetanic facilitation characteristics of typical succinylcholine-induced block?: *correspondence* **522**
Trans-Atlantic variation in response to neuromuscular blocking drugs: *correspondence* **524**
neuromuscular block, tetrahydroisoquinolinium chlorofumarates, The new neuromuscular blocking agents: do they offer any advantages? **912**
neuromuscular block, tropinyl diesters, The new neuromuscular blocking agents: do they offer any advantages? **912**
neuromuscular block, tubocurarine, Trans-Atlantic variation in response to neuromuscular blocking drugs: *correspondence* **524**
neuromuscular block, vecuronium, Undiagnosed myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **650**
nose, cilia, Effect of cocaine and lidocaine on beat frequency of human nasal cilia: *abstract* **169P**

oxygen, consumption, The effect of H^+ concentration on electron transport chain function in hepatocytes: *abstract* **367P**

pain, Advances in pain: *editorial* **1**
Analgesic effect of gabapentin premedication in laparoscopic cholecystectomy: a randomized double-blind placebo-controlled trial: *abstract* **174P**
Mechanisms of inflammatory pain **3**
Role of psychology in pain management **144**
pain, chronic, Chronic pain after surgery **88**
Role of psychology in pain management **144**
The effect of obturator nerve block on chronic hip pain: *abstract* **664P**
pain, chronic non-cancer, Chronic opioid therapy for non-cancer pain **133**
pain, complex regional pain syndrome, Complex regional pain syndrome **99**
pain, heat sensation, Efficacy of transcutaneous spinal electroanalgesia on thermal sensation and pain thresholds in healthy volunteers: *abstract* **664P**
pain, hyperalgesia, Mechanisms of inflammatory pain **3**
pain, inflammation, Mechanisms of inflammatory pain **3**
pain, neuropathic, Mechanisms of neuropathic pain **12**
Trigeminal neuralgia—pathophysiology, diagnosis and current treatment **117**
pain, paediatric, Cross-validation of a composite pain scale for preschool children within 24 hours of surgery **400**
pain, phantom limb, Phantom limb pain **107**
pain, postoperative, Chronic pain after surgery **88**
Cross-validation of a composite pain scale for preschool children within 24 hours of surgery **400**
Does i.v. clonidine enhance analgesia in daycase laparoscopic sterilization?: *abstract* **167P**
Effect of epidural bupivacaine *vs* combined epidural bupivacaine and morphine on gastrointestinal function and pain after major gynaecological surgery **727**
Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**
Effect of postoperative analgesia on surgical outcome **62**
Hormonal and metabolic stress responses after major surgery in children aged 0–3 years: a double-blind, randomized trial comparing the effects of continuous versus intermittent morphine **390**
No clinical evidence of acute opioid tolerance after remifentanil-based anaesthesia **866**
Pain relief after thoractomy: *editorial III* **681**
Predictive factors of early morphine requirements in the post-anaesthesia care unit (PACU) **385**
Suprascapular nerve block for ipsilateral shoulder pain after thoracotomy with epidural analgesia: double-blind comparison of 0.5% bupivacaine and saline: *abstract* **169P**
pain, threshold, Efficacy of transcutaneous spinal electroanalgesia on thermal sensation and pain thresholds in healthy volunteers: *abstract* **664P**
parasympathetic nervous system, recombinant muscarinic receptors, Interaction of i.v. anaesthetic induction agents with recombinant human m1–m3 muscarinic receptors expressed in Chinese hamster ovary cells: *abstract* **671P**
parasympathetic nervous system, vagus, Inhalation anaesthetics increase heart rate by decreasing cardiac vagal activity in dogs **748**
peritoneum, Blocking integrin function with RGD peptides delays the clearance of macrophages from a murine model of peritonitis: *abstract* **334P**
pharmacokinetics, Volume kinetics of glucose solutions given by intravenous infusion **834**
Volume kinetics of Ringer's solution during induction of spinal and general anaesthesia **406**
pharmacokinetics, xenon, Arterial and mixed venous xenon blood concentrations in pigs during wash-in of inhalational anaesthesia **497**
pharmacology, ACE inhibitors, Renal dysfunction following anaesthesia and surgery: *correspondence* **648**
pharmacology, antithrombin III, Management of purpura fulminans: *correspondence* **650**
pharmacology, dapsone, Diagnostic confusion caused by dapsone-induced methaemoglobinaemia: *correspondence* **802**
pharmacology, epoprostenol, Management of purpura fulminans: *correspondence* **650**
pharmacology, ketanserin, Management of purpura fulminans: *correspondence* **650**
pharmacology, nicorandil, Safety of oral nicorandil before coronary artery bypass graft surgery **848**
pharmacology, protein C, Management of purpura fulminans: *correspondence* **650**
pharmacology, recombinant tissue plasminogen activator, Management of purpura fulminans: *correspondence* **650**
physiotherapy, Improvement of 'dynamic analgesia' does not decrease atelectasis after thoracotomy **564**
pig, Arterial and mixed venous xenon blood concentrations in pigs during wash-in of inhalational anaesthesia **497**
Haemodynamic monitoring in a combined trauma-hypovolaemic shock model: *abstract* **362P**
Influence of sepsis on minimum alveolar concentration of desflurane in a porcine model **280**
Temporal dynamics of lung aeration determined by dynamic CT in a porcine model of ARDS **459**
polypeptides, cytokines, Measuring the outcome of surgical procedures: what are the challenges?: *editorial I* **531**
Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses **537**
polypeptides, octreotide, Perianaesthetic risks and outcomes of abdominal surgery for metastatic carcinoid tumours **447**
position, prone, Duration of prone positioning in acute respiratory distress syndrome: *abstract* **361P**
Intrathoracic blood volume reflects circulatory volume status in patients with ARDS in the prone position: *abstract* **361P**
Successful defibrillation in the prone position **937**
pregnancy, Do physiological changes in pregnancy change defibrillation energy requirements? **237**
Platelet function during pregnancy: an evaluation using the PFA-100 analyser **890**

Primary pulmonary hypertension in pregnancy: a role for novel vasodilators **295**
Unnecessary emergency Caesarean section due to silent CTG during anaesthesia? **791**
pregnancy, polysubstance abuse, Identification of polysubstance abuse in the parturient **488**
protein, albumin, Comparison of the use of human albumin solution (HAS) in the critically ill, 1998-1999: *abstract* **367P**
protein, serum S100β, S100β—a marker for septic encephalopathy?: *abstract* **335P**
protein, serum S-100B, Profile of serum protein S-100B release after cardiac arrest: preliminary data: *abstract* **360P**
psychological responses, Role of psychology in pain management **144**
psychological responses, hallucinatory, Factors influencing hallucinatory content in the ICU patient: *abstract* **342P**
psychological responses, preoperative anxiety, Linear analogue anxiety scale or hospital anxiety and depression score to assess preoperative anxiety in day case surgery: *abstract* **675P**
publications, Assessment instruments used during anaesthetic simulation: *correspondence* **647**

rabbit, Inhibition of active sodium absorption leads to a net liquid secretion into *in vivo* rabbit lung at two levels of alveolar hypoxia **897**
rat, Aerosolized surfactant therapy for endotoxin-induced experimental acute respiratory distress syndrome in rats **266**
Evolution of cerebral ischaemia induced by thromboembolism in rats detected by early sequential MR imaging **469**
receptors, adenosine, Isoflurane-induced protection against myocardial stunning is independent of adenosine 1 (A_1) receptor in isolated rate heart **258**
receptors, $GABA_A$, Oleamide: a putative endogenous ligand for anaesthetic receptor sites: *abstract* **172P**
records, medical, computerized, Development and testing of a hierarchical method to code the reason for admission to intensive care units: the ICNARC Coding Method **543**
recovery, Rehabilitaton after critical illness: a randomized, controlled trial: *abstract* **330P**
recovery, cognitive, Postoperative changes in visual evoked potentials and cognitive function tests following sevoflurane anaesthesia **855**
recovery, postoperative, Measuring the outcome of surgical procedures: what are the challenges?: *editorial I* **531**
Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses **537**
research, qualitative, Making explicit anaesthetic expertise: methodological consideration and subjects' perceptions: *abstract* **654P**
risk, A nested case-controlled study of risk factors for perioperative cardiovascular death: *abstract* **669P**
Long-term consequences of repeated pentobarbital anaesthesia on choice reaction time performance in ageing rats **781**
Risk factor stratification for adverse outcome in vascular surgical patients: *abstract* **662P**

safety, equipment, Monitoring medical devices: the need for new evaluation methodology: *editorial II* **678**
sedation, Effects of the auditory stimuli of an auditory evoked potential system on levels of consciousness, and on the bispectral index **778**
Sedation and analgesia—which way is best?: *editorial II* **183**
Sedative and analgesic practice in the intensive care unit: the results of a European survey **186**
shock, Effect of shock and controlled fluid resuscitation on extravascular lung water content in a combined trauma-hypovolaemic shock model: *abstract* **173P**
sleep, postoperative, Airway obstruction and sleep after surgery: *correspondence* **939**
Association of airway obstruction, sleep, and phasic abdominal muscle activity after upper abdominal surgery **198**
sleep, respiratory disturbances, Airway obstruction and sleep after surgery: *correspondence* **939**
Association of airway obstruction, sleep, and phasic abdominal muscle activity after upper abdominal surgery **198**
sleep, sleep apnoea, Anaesthesia and sleep apnoea: *correspondence* **153**
statistics, Cross-validation of a composite pain scale for preschool children within 24 hours of surgery **400**
Outcome of children treated in a district general hospital intensive care unit: an assessment of performance using two different scoring systems: *abstract* **363P**
Sedation of ventilated patients in intensive care—a national survey: *abstract* **358P**
statistics, APACHE II, Evaluation of APACHE II data collection in two Leicester Critical Care Units: *abstract* **347P**
statistics, classification, The use of classification and regression trees to explore and describe the sources of variation in length of stay patients admitted to a high dependency unit: *abstract* **354P**
statistics, early warning score, Patients at risk: validation of early warning score in medical admissions: *abstract* **359P**
statistics, haemofiltration, The application of a simple scoring system to audit the changes in practice and success of veno-venous haemofiltration within the intensive care unit of a district general hospital over 3 yr—a comparison of the predictive value of this scoring system with APACHE II: *abstract* **353P**
statistics, regression trees, The use of classification and regression trees to explore and describe the sources of variation in length of stay patients admitted to a high dependency unit: *abstract* **354P**
statistics, scoring systems, Emergency abdominal aortic aneurysm surgery. Validation of a scoring system: *abstract* **374P**
Is variation in Standardized Mortality Ration (SMR) determined by case mix?: *abstract* **371P**
statistics, standardized mortality ratio, Is variation in Standardized Mortality Ration (SMR) determined by case mix?: *abstract* **371P**
statistics, survival rate, Long-term survival after intensive care—subgroup analysis and comparison with the general population: *abstract* **358P**
sterilization, skin, Touch contamination levels during anaesthetic procedures and their relationship to hand hygiene procedures: a clinical audit **291**
surgery, Anaesthesia and sleep apnoea: *correspondence* **153**
Minimizing perioperative adverse events in the elderly **608**
surgery, abdominal, Changes of haemostasis in patients undergoing major abdominal surgery—is there a difference between elderly and younger patients? **435**
Emergency abdominal aortic aneurysm surgery. Validation of a scoring system: *abstract* **374P**
surgery, arthroplasty, Measuring the outcome of surgical procedures: what are the challenges?: *editorial I* **531**
Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses **537**
surgery, carcinoid tumour, Perianaesthetic risks and outcomes of abdominal surgery for metastatic carcinoid tumours **447**
surgery, cardiovascular, Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
Circulating concentrations of vascular endothelial growth factor after cardiopulmonary bypass: *abstract* **171P**
Cognitive decline following cardiac surgery: *correspondence* **518**
Comparative efficacy and safety of remifentanil and fentanyl in 'fast track' coronary artery bypass graft surgery: a randomized, double-blind study **718**
Continuous arteriovenous oximetry as a measure of perfusion during hypothermic cardiopulmonary bypass: *abstract* **660P**
Continuous intra-jugular venous blood-gas monitoring with the Paratrend 7 during hypothermic cardiopulmonary bypass **223**
Erythropoietin therapy and preoperative autologous blood donation in children undergoing open heart surgery **429**
Heparin pretreatment does not alter heparin requirements during cardiopulmonary bypass **844**
Methylprednisolone administration reduces renal proximal tubular injury during cardiac surgery: *abstract* **669P**
Renal dysfunction following anaesthesia and surgery: *correspondence* **648**
Safety of oral nicorandil before coronary artery bypass graft surgery **848**
Stress response during weaning after cardiac surgery **490**
surgery, carotid endarterectomy, Blood pressure manipulation during awake carotid surgery to reverse neurological deficit after carotid cross-clamping **641**
surgery, cholecystectomy, Subclinical hepatic dysfunction in laparoscopic cholecystectomy and laparoscopic colectomy **774**

surgery, colectomy, Subclinical hepatic dysfunction in laparoscopic cholecystectomy and laparoscopic colectomy **774**
surgery, colonoscopy, Pulmonary scintigraphy for diagnosis of aspiration during intravenous propofol anaesthesia for colonoscopy **204**
surgery, cystodiathermy, An unusual case of airway obstruction: *correspondence* **804**
surgery, day-case, Analgesia for day-case surgery **73**
Numbness a greater problem than pain?: *correspondence* **942**
surgery, ear, ProSeal laryngeal mask airway use for prolonged middle ear surgery: *correspondence* **323**
surgery, gynaecological, Effect of epidural bupivacaine *vs* combined epidural bupivacaine and morphine on gastrointestinal function and pain after major gynaecological surgery **727**
Effect of peri- and postoperative epidural anaesthesia on pain and gastrointestinal function after abdominal hysterectomy **577**
surgery, knee replacement, Autologous transfusion in total knee replacement surgery: *correspondence* **941**
surgery, laparoscopic sterilization, Effect of transcervical papaverine and bupivacaine on postoperative analgesia after laparoscopic application of filshie clips: *abstract* **663P**
surgery, laparoscopy, Cardiac arrest associated with use of an argon beam coagulator during laparoscopic cholecystectomy **644**
Hydrothorax: an unexpected complication after laparoscopic myomectomy **507**
Subclinical hepatic dysfunction in laparoscopic cholecystectomy and laparoscopic colectomy **774**
surgery, laser, Transtracheal high frequency jet ventilation for endoscopic airway surgery: a multicentre study **870**
surgery, liver resection, Effects of portal triad clamping on haemodynamic conditions during laparoscopic liver resection **493**
surgery, minor, Effects of minor surgery and endotracheal intubation on postoperative breathing patterns in patients anaesthetized with isoflurane or sevoflurane **706**
surgery, oesophagectomy, Early extubation after oesophagectomy: effect on outcome: *abstract* **348P**
How can we improve the outcome of oesophagectomy?: *correspondence* **799**
Perioperative risk factors for acute lung injury following elective oesophagectomy: *correspondence* **800**
surgery, ophthalmological, Comparison of articaine and bupivacaine/lidocaine for single medial canthus peribulbar anaesthesia **584**
Sub-Tenon's anaesthesia—the local anaesthetic technique of choice for eye surgery?: *correspondence* **520**
surgery, paediatric, Hormonal and metabolic stress responses after major surgery in children aged 0–3 years: a double-blind, randomized trial comparing the effects of continuous versus intermittent morphine **390**
surgery, prostatectomy, Another feature of TURP syndrome: hyperglycaemia and lactic acidosis caused by massive absorption of sorbitol **316**
surgery, spinal, Successful defibrillation in the prone position **937**
surgery, thoracic, Postoperative analgesia by epidural methylprednisolone after posterolateral thoracotomy **635**
surgery, thoracotomy, Pain relief after thoractomy: *editorial III* **681**
surgery, vascular, Risk factor stratification for adverse outcome in vascular surgical patients: *abstract* **662P**
Subclinical perioperative myocardial injury in patients undergoing major vascular surgery: *abstract* **661P**
The effect of methylprednisolone on urinary *N*-acetyl-β-D-glucosaminidase/creatinine ratios in porcine vascular surgery: *abstract* **661P**
sympathetic nervous system, α-adrenergic agonists, clonidine, Does i.v. clonidine enhance analgesia in daycase laparoscopic sterilization?: *abstract* **167P**
sympathetic nervous system, adrenergic block, Perioperative β-blockade: *correspondence* **154**
sympathetic nervous system, catecholamines, Measuring the outcome of surgical procedures: what are the challenges?: *editorial I* **531**
Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses **537**
sympathetic nervous system, dexmedetomidine, Comparison between dexmedetomidine and propofol for sedation in the intensive care unit: patient and clinician perceptions **684**
Dexmedetomidine: a real innovation or more of the same?: *editorial I* **677**
sympathetic nervous system, dobutamine, The effects of glyceryl trinitrate and dobutamine on cerebral haemodynamics: *abstract* **668P**
sympathetic nervous system, ephedrine, Use of pre-emptive vasopressors for spinal anaesthesia-induced hypotension during Caesarean section: *correspondence* **320**
sympathetic nervous system, glyceryl trinitrate, The effects of glyceryl trinitrate and dobutamine on cerebral haemodynamics: *abstract* **668P**
sympathetic nervous system, phenylephrine, Comparison of thresholds for giving phenylephrine during spinal anaesthesia for Caesarean section: *abstract* **658P**
Use of pre-emptive vasopressors for spinal anaesthesia-induced hypotension during Caesarean section: *correspondence* **320**
sympathetic nervous system, vasoconstrictor, dihydroergotamine, Haemodynamic effects of three doses of dihydroergotamine during spinal anaesthesia **499**

total hip replacement, Intrathecal ropivacaine for total hip arthroplasty: double-blind comparative study with isobaric 7.5 mg ml^{-1} and 10 mg ml^{-1} solutions **743**
transfusion, Can cerebral oxygen saturation be used as a transfusion trigger?: *abstract* **165P**
transfusion, allogeneic, Autologous transfusion in total knee replacement surgery: *correspondence* **941**
transfusion, autotransfusion, Autologous transfusion in total knee replacement surgery: *correspondence* **941**

veins, central vein cannulation, Ruptured superior thyroid artery from central vein cannulation: treatment by coil embolization **302**
veins, jugular, Cerebral hypoperfusion in immediate postoperative period following coronary artery bypass grafting, heart valve, and abdominal aortic surgery **229**
veins, jugular, Comparison of external jugular and central venous pressures in mechanically ventilated patients on the intensive care unit: *abstract* **176P**
veins, portal triad clamping, Effects of portal triad clamping on haemodynamic conditions during laparoscopic liver resection **493**
ventilation, Combination of external chest wall oscillation with continuous positive airway pressure **441**
ventilation, anaesthesia, Anaesthesia and sleep apnoea: *correspondence* **153**
ventilation, control of breathing, Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers **860**
ventilation, high frequency jet, Transtracheal high frequency jet ventilation for endoscopic airway surgery: a multicentre study **870**
ventilation, high frequency, Transtracheal high frequency jet ventilation for endoscopic airway surgery: a multicentre study **870**
ventilation, hyperbaric chamber, Initial assessment of the Servo 900C ventilator for use in a hyperbaric chamber: *abstract* **355P**
ventilation, hypercapnic response, Influence of oral tramadol on the dynamic ventilatory response to carbon dioxide in healthy volunteers **860**
ventilation, intermittent positive pressure, Early extubation after oesophagectomy: effect on outcome: *abstract* **348P**
ventilation, mechanical, A comparison of the active heat and moisture exchanging filter with a hot water bath humidifier and a standard heat and moisture exchanging filter: *abstract* **364P**
Evidence based practice in intensive care—light on the horizon?: *editorial I* **377**
Measurement of trans-diaphragmatic pressure in ventilated critically ill patients with multi-organ failure by phrenic nerve stimulation and balloon manometry, and its relationship to ventilator independence: *abstract* **330P**
Northern Regional Ventilator Dependency Study—does the northern region need a Regional Weaning Centre?: *abstract* **352P**
Stress response during weaning after cardiac surgery **490**
ventilation, occlusion pressure, Effects of minor surgery and endotracheal intubation on postoperative breathing patterns in patients anaesthetized with isoflurane or sevoflurane **706**
ventilation, partial liquid, Small dose of exogenous surfactant combined with partial liquid ventilation in experimental acute lung injury: effects on gas exchange, haemodynamics, lung mechanics, and lung pathology **593**

ventilation, pattern, Effects of minor surgery and endotracheal intubation on postoperative breathing patterns in patients anaesthetized with isoflurane or sevoflurane **706**

ventilation, rebreathing, Does end-tidal carbon dioxide affect speed of induction of anaesthesia with propofol?: *abstract* **670P**

ventilation, spontaneous, Clinical experience with the use of sub-anaesthetic doses of halothane in spontaneously ventilating patients with acute severe asthma to avoid ventilation: *abstract* **345P**

vomiting, antiemetics, Prospective randomized, double-blind comparative study of dexamethasone, ondansetron, and ondansetron plus dexamethasone as prophylactic antiemetic therapy in patients undergoing day-case gynaecological surgery **588**

vomiting, antiemetics, cyclizine, Cyclizine reduces the incidence of nausea and vomiting after elective Caesarean section with intrathecal diamorphine: *abstract* **672P**

vomiting, antiemetics, ondansetron, Ondansetron after Caesarean section: *correspondence* **942**

Prophylactic ondansetron does not improve patient satisfaction in women using PCA after Caesarean section **502**

vomiting, antiemetics, ondansetron, Randomized prospective double-blind placebo-controlled trial of effect of intravenous ondansetron on intraocular pressure during ophthalmic surgery **629**

vomiting, incidence, Prospective randomized, double-blind comparative study of dexamethasone, ondansetron, and ondansetron plus dexamethasone as prophylactic antiemetic therapy in patients undergoing day-case gynaecological surgery **588**

vomiting, nausea, Cyclizine reduces the incidence of nausea and vomiting after elective Caesarean section with intrathecal diamorphine: *abstract* **672P**

Ondansetron after Caesarean section: *correspondence* **942**

Prospective randomized, double-blind comparative study of dexamethasone, ondansetron, and ondansetron plus dexamethasone as prophylactic antiemetic therapy in patients undergoing day-case gynaecological surgery **588**

vomiting, nausea, postoperative, Prophylactic ondansetron does not improve patient satisfaction in women using PCA after Caesarean section **502**

Web site review, *www.capnography.com* **653**